



WHY KONI?

A KONI is not your average shock absorber. They feature a number of standards that make them unique:

ADJUSTABLE: to set them to your personal preference and to compensate for wear.

TAILORMADE: not a copy of the original, but designed for a specific car or even conditions.

IMPROVEMENT: individually tested until the optimum in handling and comfort is reached.

SAFETY: the handling of your car is a major issue for your own safety.

INVOLVEMENT: KONI test drivers are dedicated car enthusiasts themselves.

BUILT FOR A LIFETIME: a set of KONI shock absorbers will usually outlive your car.

KONI PHILOSOPHY

As KONI is known as the shock absorber specialist par excellence, we commit ourselves to delivering to our customers the finest quality product with the best performance. KONI has vast experience, and a world-wide reputation in developing their products for all applications.

Our engineers ensure that every product is manufactured to meet the highest standards. KONI shock absorbers are produced from the finest materials; surfaces are machined to the narrowest tolerances and quality control is incorporated in all production steps. At the end of the production line every single damper is 100% dyno-tested to assure highest quality.


This philosophy results in unrivaled lifetime, superb road performance and maximum customer satisfaction. Our philosophy is one of no compromises!

KONI TECHNOLOGY

KONI experts recognize that every vehicle has unique damping needs. KONI manufactures three shock absorber technologies in order to choose the perfect damping solution. Every KONI is adjustable for ultimate performance benefits.

KONI Shock Absorber Components:

- 1 Piston rod
 - 2 Piston
 - 3 Piston rod guide
 - 4 Piston rod seal
 - 5 Inner Cylinder
 - 6 Reservoir tube
 - 7 Foot valve
 - 8 Bypass valve
 - 9 Bypass spring
 - 10 Adjusting nut
 - 11 Adjusting knob
 - 12 Adjusting detent
 - 13 Compression valve assembly
 - 14 Rebound valve assembly
 - 15 Floating piston
 - 16 Dust cover
 - 17 Adjusting rod
 - 18 Dust cap
 - 19 Non return valve
 - 20 Non return valve
 - 21 Valves
- A, B, C, D, E, F, G, H, J, K and L*
Various orifices





Why KONI?, KONI Philosophy.....Inside Front Cover

Passenger Car Applications.....2-18

Light Truck/Van/Sport Utility Vehicle Applications.....19-21

Threaded Suspension Kits, Threaded Sleeves22-23

Warranty

Limited Warranty.....24

Promotional ItemsInside Back Cover

For Adjustment Procedures, FAQs, and Technical Information

Use KONI Technical Guide 103613

For Drag Racing and Road Racing Applications

Use KONI Catalog 103610

For Oval Track Applications

Use KONI Catalog 103223

SPECIAL ORDER SHOCKS

Certain dampers are listed as **special order** in the application guide. In most instances these dampers are available within 60 days, or two weeks if you request to pay air freight charges; however in some cases there are minimum order quantities. To determine availability please call 859-586-4100.

Identifying KONI Part Numbers. Refer to the chart below to determine an at-a-glance overview of the KONI part number prefixes and what feature each one indicates.

	25	26	30	80	82	86	87	88	90	2812	3012	3013	8010	8040	8041	8042	8210	8212	8216	8240	8241	8242	8610	8640	8641	8740	8741	8742	
CONSTRUCTION TYPE																													
Twin Tube Low Pressure Gas														X	X	X					X	X	X		X	X	X	X	X
Twin Tube Hydraulic				X	X	X	X	X	X				X				X	X	X				X						
Mono-Tube High Pressure Gas	X	X	X							X	X	X																	
ADJUSTMENT FEATURE																													
Externally Adjustable	-											X	X	X	X		X		X		X		X		X		X		
Standard Adjustable	-	X	X	X	X	X	X	X	X												X			X		X			
Double Adjustable										X	X					X		X				X							X
BODY STYLE																													
McPherson Strut Cartridge						X																	X	X	X				
McPherson Strut Complete Housing							X																			X	X	X	
Standard Shock Absorber	X	X	X	X	X			X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X



Make / Model	Year	Front	Notes	Rear	Notes
--------------	------	-------	-------	------	-------

ACURA

2.2 CL	Left: 97-99 Right:	8040-1175L 8040-1175R	D D	8040-1176 8040-1176	D
—Ext. Rebound Adjustable Sport Alternative	Left:	8041-1185L Sport	8	8041-1168SP4	8
Adj. spring perch can lower car approx. F & R=15mm	Right:	8041-1185R Sport	8	8041-1168SP4	8
3.2 CL, Adj. spring perch can lower car approx. F & R=20mm	01-03	8041-1257 Sport	8	8041-1258 Sport	8
3.2 TL, Adj. spring perch can lower car approx. F & R=20mm	00-03	8041-1257 Sport	8	8041-1258 Sport	8
Integra (Exc. Type R)	94-01	8040-1146	D	8040-1158	D
—Ext. Rebound Adjustable Sport Alternative		8041-1152 Sport	8	8041-1153 Sport	8
Adj. spring perch can lower car approx. F=25mm R=15mm					
Threaded Suspension Kit available, see pg. 22					
Integra Type R (only), Adj. spring perch can lower car approx. F & R=25mm	97-01	8041-1152 Sport	8	8041-1164 Sport	8
Integra, Adj. spring perch can lower car approx. F & R=20mm	90-93	8041-1200 Sport	8	8041-1201 Sport	8
Legend V6-3.2i Sedan & Coupe	91-97	8240-1125	1, 8	8240-1126	8
Adj. spring perch can lower car approx. F= 25mm R=15mm					
NSX, type NA1	90-97	8241-1117 Sport	1	8241-1118 Sport	1
RSX	02-03	8610-1415 Sport	5	8010-1050 Sport	
TSX	04	TBA		TBA	

ALFA ROMEO

164-V6	10/91-94	8641-1226 Sport OE Boge Only	5	8741-1149 Sport	3
2000 Spider Veloce, Graduate, Quadrifoglio	70-95	80-1551		80-1781	
—Koni Sport Alternative		80-1551 Sport	4	80-1781 Sport	4
Alfetta GT, GTV6, GTV	72-89	80-2570 Sport		80-2571 Sport	
Giulia 1600/TI/TI, Super, GTA, GTV, Nuova Spider	10/65-79	80-1551		80-1781	
Spider, Duetto, 1750GTV, 2000GTV	68-73	80-1551		80-1781	
—Koni Sport Alternative		80-1551 Sport	4	80-1781 Sport	4
Giulia, Spider, Sprint, SS	62-9/65	80-1039		80-1193	
Giulietta 1300, Berlina 1300	55-64	80-1039		80-1193	
Milano, 75 All Mdls	86-89	80-2570 Sport		80-2571 Sport	3

AUDI

80, 90 Quattro (AWD) External Adjustable Front	92-95	86-2066 Sport 8610-1262 Sport	*	8210-1160 Sport —	
80, 90 Sedan (FWD) External Adjustable Front	92-95	86-2066 Sport 8610-1262 Sport	*	80-2662 Sport —	
80, 90 Quattro (AWD) Exc. 2.3 20V External Adjustable Front	88-91	86-2066 Sport 8610-1262 Sport	*	86-2086 Sport	
80, 90 Sedan (FWD) (Exc. 2.0 16V, 2.3 20V and factory lowered susp.) External Adjustable Front	88-91	86-2066 Sport 8610-1262 Sport	*	80-2403 Sport —	
80 Sedan w/ factory lowered susp. Incl. 2.3 20V (FWD) External Adjustable Front	88-91	86-2066 Sport 8610-1262 Sport	*	80-2625 Sport —	+
90 Quattro 2.3 20V (AWD) External Adjustable Front	88-91	86-2066 Sport 8610-1262 Sport	*	86-2433 Sport —	
100 Sedan (FWD) and Quattro	83-94	86-2149		80-2762	3
200 Sedan (Exc. Quattro 20V)	83-91	86-2149		80-2762	3
200 Quattro 20V	89-91	86-2149 Sport		80-2630 Sport	
4000 Sedan and Coupe, GT 4 cyl. & 5 cyl. External Adjustable Front	79-87	86-2066 Sport 8610-1262 Sport	*	80-2403 Sport	
4000 Quattro (Exc. 20V) External Adjustable Front	83-87	86-2066 Sport 8610-1262 Sport	*	86-2086 Sport —	
5000 Sedan/Wagon/Turbo (Incl. Quattro) —Koni Sport Alternative	84-88	86-2149 86-2149 Sport		80-2762 80-2762 Sport	3

+ Special order part. * Available until stock is depleted. 1 Uses factory (O.E.) lower spring seat. 3 Exc. mdls w/self leveling suspension.
4 Remove bump rubber prior to adjusting. 5 Special McPherson strut insert bolted into OE housing after cutting top and removing old internal parts.
8 Features adjustable spring seat for ride height adjustment. D Special "D" compress to adjust red alternative for select applications.



Make / Model	Year	Front	Notes	Rear	Notes
Coupe 2.0, 2.3, 2.6, 2.8 (Exc. Quattro) External Adjustable Front	89-95	86-2066 Sport 8610-1262 Sport	*	80-2625 Sport —	+
Coupe Quattro 2.3, 2.6, 2.8 External Adjustable Front	89-95	86-2066 Sport 8610-1262 Sport	*	86-2433 Sport —	
Coupe Quattro 2.2, 2.3 (Exc. 20V) External Adjustable Front	83-89	86-2066 Sport 8610-1262 Sport	*	86-2086 Sport —	
Coupe (Exc. Quattro) External Adjustable Front	80-88	86-2066 Sport 8610-1262 Sport	*	80-2403 Sport —	
Coupe Quattro Turbo	81-89	86-2086 Sport		86-2087 Sport	

A4, FWD & Quattro, Sedan & Avant	02-03	8240-1185 Sport		8040-1283 Sport	
A4 FWD Threaded Suspension Kit available, see pg. 22	95-01	82-2502 Sport		80-2749 Sport	
A4 Quattro Threaded Suspension Kit available, see pg. 22	95-01	82-2502 Sport		8210-1162 Sport	
A6, FWD Sedan & Avant (FWD) Threaded Suspension Kit available, see pg. 22	98-03	82-2488 Sport		8040-1227 Sport	
A6 Quattro, Sedan & Avant (Incl. V8)	98-03	82-2488 Sport		82-2465 Sport	
A6 (FWD) (Exc. Self Leveling Suspension)	95-97	86-2149 Sport		80-2762 Sport	
S4 Quattro	00-03	82-2516 Sport	2	8210-1165 Sport	2
S4, S6 Quattro	93-97	86-2149 Sport		80-2630 Sport	
V8 Quattro	89-94	86-2149 Sport		80-2630 Sport	
TT FWD (Coupe and Roadster)	99-03	8710-1377 Sport		80-2805 Sport	
TT Quattro (Coupe and Roadster)	99-03	8710-1377 Sport		80-2818 Sport	

AUSTIN MINI

Mini 850, 1000, 1100, 1275, 1300 All sedans (Exc. lowered susp)	60-96	80-1675 Sport	+, 4	80-1794 Sport	+, 4
Mini, All non-sedans (Moke, Estate wagon, pick up, van, etc.)	61-78	80-1675 Sport	+, 4	Not Available	
Mini And Cooper, w/Lowered Susp.	63-70	80-1717	+, 4	80-1795	+, 4

AVANTI

Avanti	89-91	8040-1087		8040-1088	4
Avanti	87-88	8040-1092		8040-1093	4

BMW

E3 - Series					
2800 CS Coupe, 3.0 CS Coupe	69-74	86-1667	+	80-2092	+, 4
2.8L, 3.0L, 3.3L Sedan	74-76	86-1667	+	Not Available	

E10 - Series					
2002, 2002-Tii, 1600/2	66-76	86-1519 Sport		80-1868 Sport	4



Make / Model	Year	Front	Notes	Rear	Notes
3 Series - E30					
318i, (Exc. M-Technik, and Cabriolet) For 45mm Strut Housings Only. For 51mm Strut Housing, use:	83-91	8641-1029 Sport		80-2522 Sport	
		8641-1021 Sport		80-2522 Sport	
318i,325i (w/ M-Technik suspension)	9/88-91	8641-1210 Sport		80-2641 Sport	4
318iS-16V	89-91	8641-1210 Sport		80-2641 Sport	4
325e, 325i, 325iS (Exc. M-Technik and Cabriolet)	84-91	8641-1021 Sport		80-2522 Sport	
323i	83-85	8641-1021 Sport	13	80-2522 Sport	
324TD (Exc. M-Technik)	9/88-91	8641-1021 Sport		80-2522 Sport	
324TD	87-8/88	8641-1021 Sport	13	80-2522 Sport	
325ix (AWD) including Touring	86-91	8641-1144 Sport	+	80-2522 Sport	
M3 (E254)	86-91	8641-1210 Sport		80-2522 SP1	
318i Cabriolet, 325i Cabriolet (E147)	85-91	86-2277 Sport		80-2522 Sport	
3 Series - E36					
318Ti Hatchback (Exc. M-Technik)	Left: 94-99	8741-1247L Sport		80-2522 Sport	
Threaded Suspension Kit available, See pg. 22	Right:	8741-1247R Sport		80-2522 Sport	
318 Ti Hatchback (w/ M-Technik)	Left: 94-99	8741-1247L Sport		80-2641 Sport	
Threaded Suspension Kit available, See pg. 22	Right:	8741-1247R Sport		80-2641 Sport	
318i, 318is coupe, sedan, cabrio. (Incl. M-Technik)	Left: 10/91-99	8741-1247L Sport		8240-1115 Sport	
Threaded Suspension Kit available, See pg. 22	Right:	8741-1247R Sport		8240-1115 Sport	
318i, 318is coupe & sedan (Incl. M-Technik)	Left: 12/90-9/91	8741-1234L Sport		8240-1115 Sport	
	Right:	8741-1234R Sport		8240-1115 Sport	
325i, 325is, 328i, 328is coupe & sedan, cabrio. (Incl. M-Technik)	Left: 5/92-99	8741-1272L Sport		8240-1115 Sport	
	Right:	8741-1272R Sport		8240-1115 Sport	
<i>Note for 1992 Mdl's: Only w/40mm plastic cover on strut upper mounting (inside engine compartment.)</i>					
Threaded Suspension Kit available, See pg. 22					
325i, 325is coupe & sedan (Incl. M-Technik.)	Left: 10/91-4/92	8741-1248L Sport		8240-1115 Sport	
<i>Note for 1992 Mdl's: Only w/80mm plastic cover on strut upper mount. (inside engine compartment)</i>	Right:	8741-1248R Sport		8240-1115 Sport	
325i, 325is coupe & sedan (Incl. w/ M-Technik.)	Left: 12/90-9/91	8741-1235L Sport		8240-1115 Sport	
	Right:	8741-1235R Sport		8240-1115 Sport	
M3 (all)	95-99	8641-1342 Sport	5	8240-1115 Sport	
Threaded Suspension Kit available, See pg. 22					
Z Series - E36/7 & E85					
Z3 4 & 6 Cyl. Roadster & Coupe (Incl. M-Technik)	Left: 96-02	8741-1338L Sport		8040-1217 Sport	
Threaded Suspension Kit available, See pg. 22	Right:	8741-1338R Sport		8040-1217 Sport	
Z4	Left: 03	8741-1450L Sport	2	8240-1208 Sport	2
	Right:	8741-1450R Sport	2	8240-1208 Sport	2
M Roadster, M Coupe	99-02	8641-1342 Sport	5	8040-1217 Sport	
3 Series - E46					
318i, 323i, 325i, 328i, 330i	Left: 99-03	8741-1390L Sport		8040-1250 Sport	
(Exc. Coupe, AWD, Touring, & M-Technik)	Right:	8741-1390R Sport		8040-1250 Sport	
325, Ci, 330 Ci (Coupe, Convertible & Touring)	Left: 99-03	8741-1390L Sport		8040-1271 Sport	
(Exc. FWD)	Right:	8741-1390R Sport		8040-1271 Sport	
M3	Left: 01-03	8741-1438L Sport		8240-1203 Sport	
	Right:	8741-1438R Sport		8240-1203 Sport	
325Xi, 330Xi	01-03	TBA		TBA	

+ Special order part. 2 New application expected late '03. 4 Remove bump rubber prior to adjusting.

5 Special McPherson strut insert bolted into OE housing after cutting top and removing old internal parts.

13 If originally equipped w/ M-Technik, use bump stop 31.331.124.449, dust cover 31.331.124.519, main locking nut 51mm., 31.321.117.376 or 45mm., 31.321.115.398 from BMW dealer.



Make / Model	Year	Front	Notes	Rear	Notes
5 Series - E12 518, 520, 525, 528i, 530i	77-81	86-2017	+	Not Available	
5 Series - E28 518, 518i, 520i, 524TD, 525e, 525i (Exc. M-Technik) 528i, 533i, 535i (Exc. M-Technik)	82-87 82-87	8641-1080 Sport 8641-1080 Sport		Not Available 8240-1010 Sport	 *, 3
5 Series - E34 525i, 525TD-S Touring, 540i Touring, M5 (front only); (Exc. electric. susp.) 524TD, 525i, 535i (Exc. M-Technik and electric susp.) Front only If Top Nut = M12-19mm If Top Nut = M14-22mm, use: 524TD, 525i, 530i, 535i (Exc. M-Technik and electric susp.)	92-95 8/90-92 88-7/90	8641-1224 Sport 8641-1157 Sport 8641-1224 Sport 8641-1157 Sport		8240-1076 Sport 8240-1076 Sport 8240-1076 Sport 8240-1076 Sport	3 3 3 3
5 Series - E39 540i (Exc. M-Technik, elect. & air susp., touring) 525i, 528i, 530i (Exc. M-Technik, elect. & air susp., touring) 540i Touring (station wagon) (Exc. M-Technik, elec. & air susp.) 525i, 528i, 530i Touring (station wagon) (Exc. M-Technik, elec. & air susp.) M5	97-03 97-03 97-00 97-03 00-03	8741-1372 Sport 8741-1341 Sport 8741-1372 Sport 8741-1341 Sport 8741-1372 Sport		8240 1156 Sport 8240-1156 Sport 8240-1157 Sport 8240-1157 Sport 8240-1156 Sport	3 3 3 3 3
7 Series - E32 730i, 735i 730i, 735i Front only If Top Nut = M12-19mm If Top Nut = M14-22mm, use: 740i 750i 750i	3/88-7/90 8/90-92 8/90-94 8/90-94 87-7/90	8641-1157 Sport 8641-1157 Sport 8641-1224 Sport 8641-1224 Sport 8641-1224 Sport 8641-1157 Sport		8240-1070 Sport 8240-1070 Sport 8240-1070 Sport 8240-1070 Sport Not Available Not Available	3 3 3 3 3

BRICKLIN


Bricklin	74-75	82-1388 SP3		82-1389	
----------	-------	-------------	--	---------	--

BUICK

Century, Regal (Exc. Wagons)	70-77	8040-1087		8040-1088	4
Century, Wagon	73-77	8040-1087		Not Available	
Electra, Estate Wagon, LeSabre (RWD Only)	77-85	8040-1087		8040-1088	4
Electra, Estate Wagon, Centurian, LeSabre	71-76	8040-1087		Not Available	
Regal Grand National, All Mdls	78-87	8040-1092		8040-1093	4
Riviera	77-78	8040-1087		8040-1088	4
Riviera	71-76	8040-1087		Not Available	
Roadmaster (sedan & wagon)	92-96	8040-1087		8040-1088	
Skylark, Apollo	73-79	8040-1087		Not Available	
Skylark, Special	68-72	8040-1087		8040-1088	4
Skylark, Special	64-67	Not Available		8040-1088	4
Sportwagon	70-72	8040-1087		8040-1088	4

CADILLAC

Catera	97-01	8610-1315 Sport	5	80-2591 Sport	3
Calais, Deville	77-84	8040-1087		8040-1088	4
Fleetwood (Exc. Commercial Chassis)	77-84	8040-1087		Not Available	
Seville, All Models	75-79	8040-1087		Not Available	



Make / Model	Year	Front	Notes	Rear	Notes
CHEVROLET					
Camaro, All Models	93-02	8241-1139 Sport	8	8241-1140 Sport	
—Double Adjustable Alternative		8242-1005 SP1	9	8242-1006 SP1	9
Camaro, All	82-92	8741-1030		30-1265	
—Koni Sport Alternative		8741-1030 Sport		30-1265 Sport	
Camaro Incl. Z-28	70-81	8040-1017		8040-1018	
Camaro with Multi-Leaf Spring	68-69	80-1914		80-1953	
Camaro with Mono-Leaf Spring	67-69	80-1914		80-1915	
Caprice, Impala, Impala SS, Sedan & Wagon	77-96	8040-1087		8040-1088	4
Caprice, Impala Sedan & Wagon	65-76	8040-1087		Not Available	
Cavalier	95-03	8640-1405	5, 7	8040-1269	4, 7
—Externally Adjustable Sport Alternative		8641-1454 Sport	5, 2	8041-1309 Sport	2
Chevelle, Malibu Sedan & Wagon	78-85	8040-1092		8040-1093	4
Chevelle, Malibu Wagons	73-77	8040-1087		Not Available	
Chevelle, Malibu Sedans	68-77	8040-1087		8040-1088	4
Chevy II, Nova	75-79	8040-1087		Not Available	
Chevy II, Nova with Multi-Leaf Springs	68-74	8040-1087		8040-1088	4
Coupe, Sedan, Convertible, Wagon	55-57	8040-1017		Not Available	
Corvette C-5, Z06 (Exc. Elect. Susp.)	97-03	3013-1023		3013-1024	
Corvette (Disarms Elect. Susp.)	89-96	8241-1097 Sport		8241-1098 Sport	
Corvette (Exc. Elect. Susp.)	88	Not Available		8241-1098 Sport	
Corvette	84-87	8040-1015		8040-1016	
Corvette	63-83	8040-1019		8040-1020	4
El Camino	78-87	8040-1092		Not Available	
El Camino	68-77	8040-1087		Not Available	
Monte Carlo, All Models	78-87	8040-1092		8040-1093	4
Monte Carlo, All Models	70-77	8040-1087		8040-1088	4

CHRYSLER

Cirrus	95-00	8040-1205	1	8040-1206	1
Cordoba	75-76	Not Available		82-1255	10
E Class	83-84	Not Available		8040-1050	
Laser, All Models	86	8741-1163		8040-1050	
Laser, All Models	84-85	Not Available		8040-1050	
LeBaron, All Models (Exc. Elec. Susp.)	86-94	8741-1163		8040-1050	
LeBaron, All Models	82-85	Not Available		8040-1050	
New Yorker Incl. Turbo	88-93	8741-1163		8040-1050	3
New Yorker (Exc. Fifth Avenue)	86-87	8741-1163		8040-1050	
New Yorker, Fifth Avenue, Newport, 300 Wagons	74-78	Not Available		82-1255	10
PT Cruiser	01-03	8641-1417 Sport	5	8040-1282 Sport	
Sebring (Exc. Convertible)	95-99	8040-1254		8040-1255	
—Ext. Adjustable Sport Alternative		8041-1207 Sport		8041-1208 Sport	
Voyager, Grand Voyager, Town & Country	01-03	8640-1428	5	30-1327	

DAEWOO

Lanos	97-01	86-2099 Sport	+	80-2659 Sport	+
Nubira	97-01	8641-1387 Sport	+, 5	8640-1388 Sport	+, 5

+ Special order part. **1** Uses factory (O.E.) lower spring seat. **2** New application expected late '03. **3** Exc. mdls w/self leveling suspension.
4 Remove bump rubber prior to adjusting. **5** Special McPherson strut insert bolted into OE housing after cutting top and removing old internal parts.
7 Prior to Aug. 1, 03, order through Marcor at 905-549-6417. **8** Features adjustable spring seat for ride height adjustment.
9 Rebound and compression are externally adjustable. **10** Lower shock mounting hole is 5/8" in diameter.



Make / Model	Year	Front	Notes	Rear	Notes
--------------	------	-------	-------	------	-------

DODGE

600, All Models	86-89	8741-1163		8040-1050	
600, All Models	83-85	Not Available		8040-1050	
Aries, All Models	86-89	8741-1163		8040-1050	
Aries, All Models	81-85	Not Available		8040-1050	
Avenger	95-99	8040-1254	D	8040-1255	D
—Ext. Adjustable Sport Alternative		8041-1207 Sport		8041-1208 Sport	
Caravan	All	<i>See page 19 in Light Truck section for all models.</i>			
Challenger	70-74	80-1538		82-1255	10
Charger, Coronet	73-76	Not Available		82-1255	10
Charger, Coronet	65-72	80-1538		82-1255	10
Colt 1.5, 1.8	93-94	8610-1343 Sport	5	80-2714 Sport	
Colt 1.5, 1.6	88-92	8641-1172 Sport	5	8040-1080 Sport	
Daytona, All Models Incl. Shelby	86-93	8741-1163		8040-1050	
Daytona, All Models Incl. Shelby	84-85	Not Available		8040-1050	
Dynasty	88-93	8741-1163		Not Available	
Lancer, All Models Incl. Shelby	86-89	8741-1163		8040-1050	
Lancer, All Models Incl. Shelby	84-85	Not Available		8040-1050	
Neon	00-03	TBA	5	TBA	5
Neon (slotted bracket for front & rear camber adj.)	95-99	8741-1327 SP2		8741-1408 Sport	
Shadow, All Models	86-94	8741-1163		8040-1050	
Spirit, All Models	89-94	8741-1163		8040-1050	
Stratus	95-00	8040-1205	1	8040-1206	1

EAGLE

Summit, All Mdls (Exc. Wagon)	88-92	8641-1172 Sport	5	8040-1080 Sport	
Talon, FWD & AWD	95-98	8040-1254	D	8040-1255	D
Ext. Rebound Adjustable Sport Alternative		8041-1207 Sport		8041-1208 Sport	
Talon, FWD	90-94	8641-1231 Sport	5	8040-1128 Sport	
for OE KYB struts only					
Talon, AWD	90-94	8641-1231 Sport	5	8040-1129 Sport	
for OE KYB struts only					

FERRARI

All Ferrari shocks supplied without bushings - If required contact a Ferrari dealer or specialist. Some Ferrari special order parts may be available only with large production run orders. Please call for availability.					
206 GT/246GT/GTS Dino	69-74	82-1579 SP2	4	82-1603 SP2	4
308 GT Spider F106AS/F106 AB-100/GTB/GTS	75-85	82-1982 SP6	4	82-1983 SP6	4
308 GT4 F106 AL	73-80	82-1982 SP6	4	82-1831 SP1	4
308 GTB/GTS	75-85	82-1982 SP6	4	82-1983 SP6	4
328 GTB/GTS	87-3/88	Not Available		82-2290	+, 4
328 GTB/GTS	85-86	Not Available		82-2290	+, 4
365 GT4 2+2 (w/o Self Leveling Rear)	73-75	82-1824 SP2	4	82-1825 SP2	4
365 GTB4/365GTS4 Daytona	69-73	82-1633	+, 4	82-1634	+, 4
400 GT Automatic (w/o Self Leveling Rear)	77-83	82-1824 SP2	4	82-1825 SP2	4
Berlinetta Boxer 512BB/512BBi	76-84	82-1833 SP6	4	82-1984 SP6 (4 req.)	4
Testarossa	85-90	82-2341	+, 4	82-2342	+, 4

+ Special order part. 1 Uses factory (O.E.) lower spring seat. 4 Remove bump rubber prior to adjusting.

5 Special McPherson strut insert bolted into OE housing after cutting top and removing old internal parts. 8 Features adjustable spring seat for ride height adjustment.

10 Lower shock mounting hole is 5/8" in diameter. D KONI Special "D" compress to adjust red alternative for select applications.



Make / Model	Year	Front	Notes	Rear	Notes
FIAT					
124 (Exc. wagon), 2000 Spider and Coupe, Pininfarina	67-87	80-1877 Sport		80-1878 Sport	4
124 Wagon	66-76	80-1877 Sport		80-1964	+
131 Sedan Mirafiori/Brava	78-81	Not Available		80-1878 Sport	4

FORD

Contour Incl. SVT	98-00	8710-1368 Sport		8710-1294 Sport	
Contour	95-97	8710-1293 Sport		8710-1294 Sport	
Focus, All Models, Incl. SVT (Exc. wagon)	Left: 99-03	8741-1400L Sport		8041-1286 Sport	
	Right:	8741-1400R Sport		8041-1286 Sport	
Focus wagon	Left: 99-03	8741-1400L Sport		8040-1268	
	Right:	8741-1400R Sport		8040-1268	
Mustang, Cobra w/ IRS rear susp. —Double Adjustable Alternative	00-03	8741-1401 Sport 8742-1122 Sport		8041-1270 Sport	
Mustang, All Models (Exc. IRS rear susp.) —Ext. Rebound Adjustable Sport Alternative	94-03	8740-1300	D	8040-1186	D
—Double Adjustable Sport Alternative		8741-1401 Sport	9	8041-1186 Sport	9
—Quad Shock		8742-1122 Sport		8042-1134 Sport	
Mustang V8, All Models (Exc. Cobra R) —Ext. Rebound Adjustable Sport Alternative	87-93	8740-1121	D	8040-1026	D
—Double Adjustable Sport Alternative		8741-1121 Sport		8041-1026 Sport	
—Quad Shock		8742-1121 Sport		8042-1026 Sport	
Mustang 4 cyl., All Models Quad Shock	87-93	8741-1103		Not Available	
Mustang SVO Quad Shock	85-86	8741-1054		8040-1026	
Mustang (Exc. SVO) Quad Shock	85-86	8741-1103		8040-1026	
Mustang SVO Quad Shock	84	8741-1006		8040-1026	
Mustang w/1-1/2 inch Lower Rear Bushing (Exc. SVO) Quad Shock	81-84	8741-1103		8040-1026	
Mustang w/2-1/8 inch Lower Rear Bushing (Exc. SVO) Quad Shock	81-84	8741-1103		Not Available	
Mustang, All Models Quad Shock	79-80	8741-1103		8040-1026	
Mustang II, All Models	74-78	80-2287 SP1	11	Not Available	
Mustang, All Models	71-73	Not Available		82-1389	
Mustang, All Models	64-70	82-1388 SP3		82-1389	
Pinto Sedan & Runabout	70-80	80-2287 SP1	11	80-2167	
Probe (Exc. Elect. Susp.)	89-92	86-2413	5	86-2414	5
Taurus, SHO (Exc. Wagon)	6/92-95	8641-1287 Sport	5	8641-1323 Sport	5
Taurus, SHO (Exc. Wagon)	86-5/92	8641-1287 Sport	5	8641-1288 Sport	5
Taurus, Wagon	86-93	8641-1287 Sport	5	Not Available	
Thunderbird (Disarms Elect. Susp.)	89-97	8641-1209 Sport	5	8041-1202 Sport	

+ Special order part. 4 Remove bump rubber prior to adjusting. 5 Special McPherson strut insert bolted into OE housing after cutting top and removing old internal parts.
9 Rebound and compression are externally adjustable. 11 Call KONI for availability information. D KONI Special "D" compress to adjust red alternative for select applications.



Make / Model	Year	Front	Notes	Rear	Notes
HONDA					
Accord	03	TBA		TBA	
Accord, All Models, Adj. Spring perch can lower car approx. F & R=20mm	98-02	8041-1257 Sport	8	8041-1258 Sport	8
Accord, All Models	90-97	8040-1175L	D	8040-1176	D
Left:		8040-1175R	D	8040-1176	D
Right:		8041-1185L Sport	8	8041-1168SP4	8
—Ext. Rebound Adjustable Sport Alternative		8041-1185R Sport	8	8041-1168SP4	8
Adj. spring perch can lower car approx. F & R=15mm					
4 Cyl. RSK Kit available, see pg. 22					
Civic, All Models (Exc. Type R)	01-03	8641-1416 Sport	5	8041-1281 Sport	
Civic, All Models (Exc. Wagon)	96-00	8040-1146	D	8040-1212	D
—Ext. Rebound Adjustable Sport Alternative		8041-1152 Sport	8	8041-1213 Sport	8
Adj. spring perch can lower car approx. F=25mm & R=15mm					
RSK & Threaded Suspension Kit available, see pg. 22					
Civic, All Models (Exc. Wagon)	92-95	8040-1146	D	8040-1158	D
—Ext. Rebound Adjustable Sport Alternative		8041-1152 Sport	8	8041-1153 Sport	8
Adj. spring perch can lower car approx. F=25mm & R=15mm					
RSK & Threaded Suspension Kit available, see pg. 22					
Civic, CRX, All Models (Exc. Wagon)	89-91	8040-1077	D	8040-1158	D
—Ext. Rebound Adjustable Sport Alternative		8041-1166 SP4	8	8041-1153 Sport	8
Adj. spring perch can lower car approx. F=25mm & R=15mm					
Civic, CRX, All Models (Exc. Wagon)	88	8040-1077	D	8040-1078	D
—Ext. Rebound Adjustable Sport Alternative		8041-1166 SP4	8	8041-1164 Sport	8
Adj. spring perch can lower car approx. F=25mm & R=15mm					
Civic, CRX (Exc. Wagon)	84-87	8741-1110L Sport		8040-1033 Sport	
Left:		8741-1110R Sport		8040-1033 Sport	
Right:					
Del Sol	92-97	8040-1146	D	8040-1158	D
—Ext. Rebound Adjustable Sport Alternative		8041-1152 Sport	8	8041-1153 Sport	8
Adj. spring perch can lower car approx. F=25mm & R=15mm					
Threaded Suspension Kit available, see pg. 22					
Prelude (Exc. SH) Adj. spring perch can lower car approx. F = 20mm R = 15mm	97-00	8041-1232 Sport	8	8041-1155 Sport	8
Prelude, All Models, Adj. spring perch can lower car approx. F = 20mm R = 15mm	92-96	8041-1154L Sport	8	8041-1155 Sport	8
Left:		8041-1154R Sport	8	8041-1155 Sport	8
Right:					
S2000	00-03	8041-1278L Sport		8041-1279 Sport	
Left:		8041-1278R Sport		8041-1279 Sport	
Right:					

HYUNDAI

Accent, fits 45mm dia. OE Struts only	95-99	86-2551	5	86-2552	5
Elantra, fits 45mm dia. OE Struts only	95-99	8641-1361 Sport	5	8640-1337 Sport	5
Elantra 1.5i, 1.6i, 1.8i	91-94	8640-1244	+, 5	8040-1080	+
Sonata, All Models	94-98	8640-1306	+, 5	8040-1193	+
Sonata, All Models	88-93	8640-1306	+, 5	Not Available	+
Tiburon	03	TBA		TBA	
Tiburon	00-01	TBA		TBA	
Tiburon, fits 45mm dia. OE Struts only	97-99	8641-1361 Sport	+, 5	8640-1337 Sport	+, 5



Make / Model	Year	Front	Notes	Rear	Notes
INFINITI					
G20	99-03	8040-1127		8040-1220	
I30, I35	00-03	8641-1439 Sport	5	8040-1297 Sport	
I30, I30T	96-99	8641-1362 Sport	5	8040-1242 Sport	

JAGUAR

2.4, 3.4, 3.8 Sedans	56-69	82-1019		82-1044	4
3.8S, 420S Sedans	64-69	Not Available		80-1572 (4 Req.)	
MK10, 420G Sedans	66-72	Not Available		80-1572 (4 Req.)	
XJ-6, XJ-40	10/94-97	26-1596		30-1593	
XJ-6 3.2 Sport, XJ-12, XJ-R Supercharged	10/94-97	26-1592		30-1593	3
XJ-6, XJ-40	87-9/94	26-1361		30-1377	3
XJ-6	69-86	26-1089		30-1090 (4 Req.)	
XJ-12	2/93-9/94	26-1361		30-1377	3
XJ-12, XJ-12C	72-2/93	26-1089		30-1090 (4 Req.)	
XJS-6, XJS-12	75-96	26-1089		30-1090 (4 Req.)	
XK-8	96-99	8241-1158		8240-1159	
XKE 6 Cyl., All Models	61-71	82-1232	4	80-1491 SPA1 (4 Req.)	
XKE V-12, All Models	71-74	80-2215	4	80-2216 (4 Req.)	
XK-120	49-54	80-1105		Not Available	
XK-140, Mk VII, Mk VIII, Mk IX,	54-61	82-1027		82-1081	
XK-150, XK-150S	55-61	82-1107	+	82-1108	+

LEXUS

IS300	00-03	8041-1264 Sport		8041-1265 Sport	
Threaded Suspension Kit available, see pg. 22					

LOTUS

Elise (non-adjustable)	96-98	026-1600	+	026-1601	+
Europa Series 2 and Twin Cam from Serial No. 7109181001P	70-75	80-2147	11	80-2206	11
Seven Series 4 from Chassis #S4-2651 TC	70-85	Not Available		80-2206	11

MG

MGB, MGB-GT	All	80-2716	+, 12	80-1244 SP1	+, 12
MGC	67-69	Not Available		80-1244 SP1	+, 12



Make / Model	Year	Front	Notes	Rear	Notes
MAZDA					
323	95-97	8610-1320 Sport	+ 5	8610-1321 Sport	+ 5
323 Sedan And Hatchback (Exc. GTX, Turbo And Elect. Susp.)	89-93	86-2442	+ 5	86-2443	+ 5
626 Sedan (Adjust 1 full turn for 6 cyl. cars)	98-02	86-2591	+ 5	86-2592	+ 5
626 Sedan (Adjust 1 full turn for 6 cyl. cars)	93-97	86-2513	+ 5	86-2592	+ 5
626, All Models (Exc. Elect. Susp.)	88-91	86-2413	5	86-2414	5
Miata, All Models	99-03	8041-1251 Sport		8041-1252 Sport	
Threaded Suspension Kit available, see pg. 22					
Miata, All Models	90-97	8041-1203 Sport	8	8041-1204 Sport	8
Adj. spring perch can lower car approx. F=20mm R=15mm					
Threaded Suspension Kit available, see pg. 22					
MX3	91-97	86-2442	+ 5	86-2443	+ 5
MX6 (Exc. Elect. Susp.)	88-92	86-2413	5	86-2414	5
RX7 Turbo: Left:	93-96	8041-1169L Sport	8	8041-1170 Sport	8
Adj. spring perch can lower car approx. F=10mm R=15mm Right:		8041-1169R Sport	8	8041-1170 Sport	8
RX7 (Disarms Elect. Susp.) (Exc. w/8 position knob)	86-92	8641-1200 Sport	5	8041-1111 Sport	
		OE KYB or Tokico only			
RX7	81-85	86-2345		26-1152	
		for OE struts only			

MERCEDES

180, 180D, 190, 190D	56-62	80-1092	+	80-1104	+
W107					
280SL, 280SLC; 300 SL, 350SL, 350SLC, 380 SL, 380 SLC, 420SL, 450SL, 450SLC, 500SL, 560SL	71-91	26-1019		30-1020	3
W108, W109, W110, W111, W113					
250S, 250SE, 280S, 280SE, 280SEL	65-72	80-1415	+	80-1416	+
300SE, 300SEB, 300SEL	68-72	80-1415	+	80-1416	+
190B, 190C, 190D, 190DB, 190DC	62-67	80-1415	+	80-1416	+
200D	65-67	80-1415	+	80-1416	+
220B, 220SB, 220SE, 220SEB, 220SEC, 230S	60-67	80-1415	+	80-1416	+
230SL, 250SL, 280SL	63-71	80-1415	+	80-1416	+
W114/W115					
200, 200D, 220, 220D, 230, 240D, 250, 250C, 250CE, 280, 280C, 280E, 280CE, 300D	68-76	26-1019		30-1020	3
W116					
280, 280S, 280SE, 280SEL, 300SD, 300SEL, 350SE, 350SEL, 450SE, 450SEL (Exc. 6.9 Litre)	73-80	26-1157		30-1020	3
W123					
200, 200D, 220D, 230, 230C, 230CE, 230E, 240D, 250, 280, 280C, 280CE, 280E, 300D, 300CD	76-85	26-1075	+	30-1020	3
Station Wagon T-Model	77-85	26-1157		30-1020	3
W124					
260E, 300CE, 300D, 300E, 300TD, E320, (Exc. 4-Matic 4WD, Sportline) —KONI Sport Alternative	85-95	8741-1092		26-1274	3
Station Wagon T-Models (exc. 4-Matic 4WD) —KONI Sport Alternative	86-95	8741-1092 Sport		26-1198 Sport	
400E, 500E, E420, E500 V8 —KONI Sport Alternative	93-95	8741-1092		Not Available	
		8741-1092 Sport		Not Available	

+ Special order part. 3 Exc. mdl's w/self leveling suspension. 5 Special McPherson strut insert bolted into OE housing after cutting top and removing old internal parts.

8 Features adjustable spring seat for ride height adjustment.



Make / Model	Year	Front	Notes	Rear	Notes
C126 380SEC, 420SEC, 500SEC, 560SEC	85-89	26-1157		30-1020	3
W126 260SE, 300SE, 300SEL, 420SE, 420SEL	85-91	26-1157		30-1020	3
280S, 280SE, 280SEL, 380SE, 380SEC, 380SEL	80-85	26-1157		30-1020	3
300SD, 500SE, 500SEL, 560SE, 560SEL	80-91	26-1157		30-1020	3
W140 300SD, 300SE, S320 6 cyl., 400SEL, 500SEL, S420, S500 V8, 600SEL, S600 V12	92-97	026-1480	15	030-1579	3, 15
W170 SLK 230, 320	97-03	8041-1228 Sport		8041-1229 Sport	
W201 190, 190E, 190D —KONI Sport Alternative	83-93	8741-1092 8741-1092 Sport		26-1198 26-1198 Sport	3
190, 190E, 190D, 190-16 Valve (w/ self leveling rear susp.) —KONI Sport Alternative	83-93	8741-1092 8741-1092 Sport		Not Available Not Available	
W202 C220, C230, C280, C36	93-00	26-1575 Sport		26-1576 Sport	3
W203 C240, C320	01-03	8741-1412 Sport		26-1679 Sport	
W208 CLK	97-02	26-1575 Sport		26-1576 Sport	3
W210 E200, E230, E280, E320, E420 Including diesel	95-00	26-1602 Sport		26-1603 Sport	3

MERCURY

Bobcat Sedan & Runabout	75-80	80-2287 SP1	11	80-2167	
Capri, All Models Quad Shock	85-86	8741-1103		8040-1026 25-1215	
Capri, Models w/1-1/2(inch) Lower Rear Bushing Quad Shock	79-84	8741-1103		8040-1026 25-1215	
Capri, Models w/2-1/8(inch) Lower Rear Bushing Quad Shock	81-84	8741-1103 —		Not Available 25-1215	
Cougar	99-02	8710-1368 Sport		8710-1294 Sport	
Cougar (Disarms Elect. Susp.)	89-97	8641-1209 Sport	5	8041-1202 Sport	
Cougar, All Models	67-70	82-1388 SP3		Not Available	
Mystique	98-00	8710-1368 Sport		8710-1294 Sport	
Mystique	95-97	8710-1293 Sport		8710-1294 Sport	
Sable (Exc. wagon)	6/92-95	8641-1287 Sport	5	8641-1323 Sport	5
Sable (Exc. wagon)	86-5/92	8641-1287 Sport	5	8641-1288 Sport	5



Make / Model	Year	Front	Notes	Rear	Notes
--------------	------	-------	-------	------	-------

MERKUR

XR4Ti (Exc. AWD)	84-91	8741-1074 Sport		80-2485 Sport	
Scorpio (Exc. AWD)	85-94	8741-1093 Sport		26-1261 Sport	+

MINI (For old Mini, see Austin Mini)

Cooper, Cooper S (built 3/1/02 or later, front sway bar link attaches to strut tube)	Left: Right:	02-03	8741-1440L Sport 8741-1440R Sport		8041-1293 Sport 8041-1293 Sport	
Cooper, (built prior to 3/1/02, front sway bar link attaches to spring seat)		02	8641-1432 Sport	5	8041-1293 Sport	

MITSUBISHI

Eclipse	00-03	8641-1231 Sport	5	8041-1208 Sport	
Eclipse FWD & AWD	95-99	8040-1254	D	8040-1255	D
—Ext. Rebound Adjustable Sport Alternative		8041-1207 Sport		8041-1208 Sport	
Eclipse (FWD) for OE KYB struts only	90-94	8641-1231 Sport	5	8040-1128 Sport	4
Eclipse (AWD) for OE KYB struts only	90-94	8641-1231 Sport	5	8040-1129 Sport	4
Galant Sedan And Hatchback, 1.8, 2.0TD, Types E52A, E55A, E57A (Exc. Cars w/ ECS System)	94-96	8040-1172		8040-1173	8
Galant 2.0i Type E33A (Exc. AWD Cars w/ ECS)	89-93	86-2415	+, 5	80-2565	+, 8
Mirage 1.5, 1.8	93-02	8610-1343 Sport	5	80-2714 Sport	
Mirage 1.5, 1.6	88-92	8641-1172 Sport	5	8040-1080 Sport	

NISSAN/DATSUN

240 SX, All Models (Exc. Elect. Susp.)	95-99	8641-1364 Sport for OE struts only	5	8040-1226 Sport	
240SX, All Models (Exc. Elect. Susp.)	89-94	8641-1364 Sport for OE struts only	5	8040-1081 Sport	
240Z	70-75	86-1811		86-1812	
260Z (Up To Ser. #30-060000)	70-74	86-1811		86-1812	
300ZX, All Models (Disarms Elect. Susp.)	90-96	8041-1118 Sport		8040-1119 Sport	
300ZX (Exc. Elect. Susp.)	84-89	8641-1060 Sport	5	26-1248 Sport	
350Z	03	TBA		TBA	
SPL 311, SLR 311 Roadster, 1500, 1600, 2000	65-70	80-1750		80-1751	
NX-1600, NX-2000; for 45 mm rear OE KYB Struts for 51 mm OE KYB struts	91-93	86-2463	5	86-2465 86-2464	5 +, 5
Maxima	00-03	8641-1439 Sport	5	8040-1297 Sport	
Maxima	95-99	8641-1362 Sport	5	8040-1242 Sport	
Maxima (Exc. Elect. Susp.)	89-94	86-2435	5	86-2436	
Pulsar Sedan And Coupe Types KN13 And N13	87-90	86-2389 Sport	+, 5	86-2390 Sport	+, 5
Sentra B15, Spec V, SER; for 45 mm OD front OE struts	00-03	8610-1409 Sport	5, 17	80-2838 Sport	
Sentra, 200 SX SER, Sentra SER	95-99	8640-1354	5	8040-1220	
Sentra, Sentra SER (Exc. wagon); for 45 mm rear OE KYB struts for 51 mm rear OE KYB Struts	91-10/94	86-2463	5	86-2465 86-2464	5 +, 5
Sentra B12 Exc. 4WD	87-90	86-2389 Sport	+, 5	86-2390 Sport	+, 5

OLDSMOBILE

88/98 (RWD)	77-85	8040-1087		8040-1088	4
88/98, All Models	71-76	8040-1087		Not Available	
Cutlass (Exc. Ciera)	78-87	8040-1092		8040-1093	4
Cutlass Vista Cruiser	73-77	8040-1087		Not Available	
Cutlass Sedan	68-77	8040-1087		8040-1088	4
Cutlass 442	66-67	Not Available		8040-1088	4
Cutlass F-85 (Exc. 442)	64-67	Not Available		8040-1088	4

+ Special order part. 4 Remove bump rubber prior to adjusting. 5 Special McPherson strut insert bolted into OE housing after cutting top and removing old internal parts.

8 Features adjustable spring seat for ride height adjustment. 17 For SER and Spec V, adjust fronts to 1 turn or higher.

D KONI Special "D" compress to adjust red alternative for select applications.



Make / Model	Year	Front	Notes	Rear	Notes
--------------	------	-------	-------	------	-------

PEUGEOT

405, All Models (Exc. AWD)	89-95	8741-1186 Sport	+	30-1370 Sport	+
----------------------------	-------	-----------------	---	---------------	---

PLYMOUTH

Acclaim, All Models	89-94	8741-1163		8040-1050	
Barracuda, All Models	70-74	80-1538		82-1255	10
Breeze	95-00	8040-1205	1	8040-1206	1
Caravelle, All Models	86-88	8741-1163		8040-1050	
Caravelle, All Models	85-85	Not Available		8040-1050	
Fury Sedan	65-79	Not Available		82-1255	10
Fury Wagon	65-73	Not Available		82-1255	10
Laser (FWD)	90-94	8641-1231 Sport	5	8040-1128 Sport	
Neon (slotted bracket for front & rear camber adj.)	95-99	8741-1327 SP2		8741-1408 Sport	
Prowler	All	Call KONI at 859-586-4100 for Information			
Reliant, All Models	86-89	8741-1163		8040-1050	
Reliant, All Models	84-85	Not Available		8040-1050	
Road Runner, All Models	73-75	Not Available		82-1255	10
Road Runner, All Models	68-72	80-1538		82-1255	10
Sundance, All Models	86-94	8741-1163		8040-1050	
Voyager	All	See page 21 in Light Truck section for all models.			

PONTIAC

Bonneville, All Models	82-86	8040-1092		8040-1093	4
Bonneville, Catalina, Parisienne, All Models	77-81	8040-1087		8040-1088	4
Bonneville, Catalina, Parisienne, All Models	65-76	8040-1087		Not Available	
Can-Am	78	8040-1092		8040-1093	4
Can-Am	77	8040-1087		8040-1088	4
Fiero, All Models	88	8040-1092		8741-1063	
Fiero, All Models	84-87	8040-1027		8741-1063	
Firebird, All Models	93-02	8241-1139 Sport	8	8241-1140 Sport	
—Double Adjustable Alternative		8242-1005 SP1	9	8242-1006 SP1	9
Firebird, All Models	82-92	8741-1030		30-1265	
—Koni Sport Alternative		8741-1030 Sport		30-1265 Sport	
Firebird, All Models	70-81	8040-1017		8040-1018	
Firebird, All Models	69	80-1914		Not Available	
Firebird, All Models	68	80-1914		80-1953	
Firebird, All Models	67	80-1914		80-1915	
Grand Am	78-80	8040-1092		8040-1093	4
Grand Am	73-77	8040-1087		8040-1088	4
Grand Prix	78-87	8040-1092		8040-1093	4
Grand Prix	77	8040-1087		8040-1088	4
Grand Prix	71-76	8040-1087		Not Available	
Grand Prix	69-70	8040-1087		8040-1088	4
GTO, Lemans, Tempest (Exc. Wagon)	68-77	8040-1087		8040-1088	4
Lemans, All Models	78-81	8040-1092		8040-1093	4
Lemans Wagon	73-77	8040-1087		Not Available	
Parisienne, All Models	83-85	8040-1087		8040-1088	4
Sunfire	95-03	8640-1405	5, 7	8040-1269	4, 7
—Ext. Adjustable Sport Alternative		8641-1454 Sport	5, 2	8041-1309 Sport	2
Ventura II with Multi-Leaf Rear Spring	72-74	8040-1087		8040-1088	4
Vibe	02-03	TBA		TBA	

+ Special order part. 1 Uses factory (O.E.) lower spring seat. 2 New application expected late '03. 4 Remove bump rubber prior to adjusting.

5 Special McPherson strut insert bolted into OE housing after cutting top and removing old internal parts. 7 Prior to Aug. 1, '03, order through Marcor at 905-549-6417.

8 Features adjustable spring seat for ride height adjustment. 9 Rebound and compression are externally adjustable. 10 Lower shock mounting hole is 5/8" in diameter.



Make / Model	Year	Front	Notes	Rear	Notes
--------------	------	-------	-------	------	-------

PORSCHE

Tips on determining what shocks your car has: Red = generally KONI; Green = generally Bilstein; Yellow = KONI or Bilstein; Black or Gray = either Boge or Sachs					
356, 1600, 90 Series Steering Damper	56-65	80-1044 SP20 76-1099		80-1191 SP20	
356	51-55	80-1013		80-1011	
356	49-50	80-1013		Not Available	
911 Carrera 2 & 4, 993	95-98	8641-1365 Sport	5	Not Available	
911 Carrera 2 & 4 (Exc. Turbo), Incl. RS America, 964	11/90-94	8641-1365 Sport	5	8241-1122 Sport	8
911 Carrera 2 & 4 Coil Over Susp., 964	89-10/90	8641-1365 Sport	5	Not Available	
911, 912, Carrera, Torsion Bar Susp.: Models OE w/KONI Models w/Boge —Ext. Adjustable Sport Alternative For Boge and KONI —Sport Alternative Rear	75-89	86-1942 8641-1039 8641-1039 Sport —	16	30-1214 30-1214 8210-1159 Sport 30-1214 Sport	
911, 912, Carrera (Exc. Self Leveling Front Units) Models w/Koni Models w/Boge	72-74	86-1638 8641-1039		82-1756 82-1756	
911, 912 Models w/KONI Models w/Boge	69-71	86-1638 8641-1039		80-2088 80-2088	
911, 912 Models Originally Equipped w/KONI Models Originally Equipped w/Boge	65-68	86-1308 86-1394		8040-1083 8040-1083	
911, 930 Turbo (Models w/Bilstein)	76-89	Not Available		30-1214	
914, 914-6 —Koni Sport Alternative	70-76	8641-1077 8641-1077 Sport	*	Not Available 8241-1050 Sport	8
924S *WARNING* Inspect clearance between front hood & strut pin before closing hood. Original bushings may need replacement.	86-88	8641-1038 Sport		8040-1035 Sport	
924, 924 Turbo *WARNING* Inspect clearance between front hood & strut pin before closing hood. Original bushings may need replacement.	76-82	8641-1038 Sport		26-1209 Sport	
928, 928S (For Models Originally Equipped w/Boge.) If Bilstein equipped, see footnote 14	78-93	8240-1085	14	8240-1086	14
944 Turbo, Turbo S, S2 (Models OE w/Sachs sealed struts)	86-91	8641-1414 Sport	5	8040-1035 Sport	
944 (Exc. Turbo & Models OE w/Sachs sealed units)	85 ¹ /2-89	8641-1038 Sport		8040-1035 Sport	
944 (Models OE w/Sachs sealed strut units)	85 ¹ /2-89	8641-1414 Sport	5	8040-1035 Sport	
944 (Exc. Turbo)	83-85	8641-1038 Sport		26-1209 Sport	
968	92-95	8641-1414 Sport	5	8040-1035 Sport	

SAAB

9-3 (Exc. Aero & Viggen)	99-02	8641-1389 Sport	5	8041-1191 Sport	
9-5 (Incl. V6)	02-03	87-2636 Sport		80-2754 Sport	
9-5 (Incl. Aero & V6)	99-01	87-2622 Sport		80-2754 Sport	
9000 Turbo, 9000i	85-98	8641-1114 Sport OE Sachs struts only	5	8040-1057 Sport	
900, All Models	94-98	8641-1305 Sport		8041-1191 Sport	
900, 900 Turbo, Turbo 16 Valve	78-93	30-1088		26-1087	

SATURN

LS-1, LS-2, LW-1, LW-2	Left: Right:	00-01	8710-1346L Sport 8710-1346R Sport		80-2754 Sport 80-2754 Sport
------------------------	-----------------	-------	--------------------------------------	--	--------------------------------

* Available until stock is depleted. **5** Special McPherson strut insert bolted into OE housing after cutting top and removing old internal parts.

8 Features adjustable spring seat for ride height adjustment.

14 If Bilstein equipped use front lower spring seat 928.343.525.00; rear lower spring seat 928.333.511.04; thread bushing 928.33.513.00 from Porsche dealer.

16 For OE KONI struts, gland nut 70.25.00.087.0 must be ordered separately.



Make / Model	Year	Front	Notes	Rear	Notes
--------------	------	-------	-------	------	-------

SUBARU

Impreza (All Exc. WRX)	02-03	8610-1351 Sport	5	8610-1408 Sport	5
Impreza 2.5 RS (AWD)	98-01	8610-1351 Sport	5	8610-1352 Sport for OE KYB only	5
Impreza 1.6 & 1.8 Sedan and Wagon (2WD)	93-98	8610-1318 Sport OE Showa struts only	+ , 5	8610-1304 Sport OE KYB struts only	+ , 5
Legacy II, 2.0 and 2.2, Sedan and Wagon (2WD) OE Showa struts only	94-96	8610-1318 Sport	+ , 5	Not Available	
Legacy II, 2.0 and 2.2, Sedan and Wagon (AWD)	94-96	8610-1318 Sport OE Showa struts only	+ , 5	8610-1317 Sport OE KYB struts only	+ , 5
Legacy 1.8 and 2.2, Sedan and Wagon 2WD and AWD (Exc. air suspension) if equipped with OE KYB rear struts	89-93	8610-1266 Sport Atsugi & Showa only	+ , 5	8610-1267 Sport OE Atsugi struts only	+ , 5
WRX	02-03	8610-1351 Sport	5	8610-1408 Sport	5

SUZUKI

Esteem	95-02	8610-1331 Sport	+ , 5	86-2566 Sport	+ , 5
Swift/Cultus/Forsa, All Models Incl. types EAA33S, EAA34S, EAA35S, EAB35S, EAH35S, EAA44S, EAB44S	89-99	86-2588 Sport for OE KYB & Showa only	5	87-2429 Sport	

TOYOTA

Camry Sedan 2.2i & 3.0-V6, Types SXV10 & VCV10, (Exc. Wagon, FOR NON-SEALED STRUTS ONLY)	6/91-96	86-2484		86-2485	
Celica GT & GTS	00-03	8641-1409 Sport	5	8041-1276 SP1	
Celica	94-99	8641-1308 Sport		8641-1212 Sport for OE KYB only	5
Celica Liftback & Coupe Types AT180 & ST182, 2WD	90-93	8641-1211 Sport		8641-1212 Sport for OE KYB only	5
Celica Liftback 2.0 GT Turbo Type ST185, 4WD	90-94	8641-1211 Sport		Not Available	
Celica Incl. GTS (Exc. 4WD & AWD Supra) Types AT 160 & ST162	86-89	8641-1115 Sport		8641-1116 Sport for OE KYB only	5
Corolla	03	8610-1416 Sport for 49mm OE KYB only	5	80-2844 Sport	
Corolla	98-02	8610-1365 Sport for 49mm OE KYB only	5	86-2425 Sport for 49mm OE KYB only	5
Corolla, All Models (Incl. Wagon)	8/92-97	8610-1365 Sport for OE KYB only	5	86-2524 Sport for 49mm OE KYB only	+ , 5
Corolla 1.3, 1.6, All Models (Exc. GTi-16V) For Sealed Front Struts	91-7/92	8641-1243 Sport	5	8641-1147 Sport	5
For NON-SEALED Front Struts	88-7/92	8641-1145 Sport		—	
Corolla 1.6 GTi-16V	88-92	8641-1146 Sport		8641-1147 Sport	5
Echo	00-03	8710-1403 Sport		80-2827 Sport	
Matrix	02-03	TBA		TBA	
MR2 Spyder	01-03	8641-1420 Sport	5	8641-1422 Sport	5
MR2 2.0-16V, GTi, Type SW20	90-11/93	8641-1220 Sport		8641-1221 Sport	
MR2 (rear strut has M48 x 1.5 locknut)	8/86-89	8641-1071 Sport		8641-1142 Sport	
MR2 (rear strut has M42 x 1 locknut)	85-7/86	8641-1071 Sport		8641-1072 Sport	
Supra, All Incl. Turbo	93-98	30-1583 Sport	8	30-1584 Sport	8
Supra, All Incl. Turbo MA70 (Disarms Elect. Susp.)	3/86-93	8040-1063 Sport	1	8040-1064 Sport	1

+ Special order part. 1 Uses factory (O.E.) lower spring seat. 5 Special McPherson strut insert bolted into OE housing after cutting top and removing old internal parts.

8 Features adjustable spring seat for ride height adjustment.



Make / Model	Year	Front	Notes	Rear	Notes
TRIUMPH					
Herald, Estate, Vitesse	59-71	80-1388	4	80-1389	4
GT 6 (all) (Rear shock: 1/2" bolt; 14" - 9 1/2" travel range)	69-73	80-1388	4	80-2089	+
(Rear shock: 5/8" bolt; 12" - 9 5/8" travel range)				80-1389	4
Spitfire	69-81	80-1388	4	80-1389	4
Spitfire, GT 6	62-68	80-1388	4	80-1389	4
Stag V8, Estate, 2500PL, 2500TC	69-77	86-1664	+	80-2069	+, 4
TR-2, TR-3, TR-4	60-65	80-1005		Not Available	
TR 4A IRS, TR5, TR6, TR250	64-76	80-1784	4	Not Available	
TR7 (heavy duty), TR8	75-82	86-2057		80-1680	4

TVR

Griffith Series 200 & 400, Vixen S1 & S2, Tuscan V8, MKIII 1800S	65-71	80-2365	+, 4	80-2365 (4 required on some cars)	+, 4
2500M, Vixen 2500, 3000M, 3000SE	71-79	80-2365	+, 4	80-2365	+, 4

VOLKSWAGEN

Beetle	98-03	8710-1337 Sport		80-2761 Sport	
Threaded Suspension Kit available, see pg. 22					
Super Beetle	75-80	86-1980	+	80-2149	
Super Beetle	74	Not Available		80-2149	
Super Beetle	70-73	86-1741	+	80-2149	
Beetle (Exc. Super Beetle), Karmann Ghia, Swing axle rear:	67-77	80-1787		80-1350	
Squareback, Fastback, Thing IRS rear:		80-1787		80-2149	
Steering Damper		76-1293	+		
Beetle, Karmann Ghia (Exc. 1200)	66	80-1787		80-1350	
Steering Damper		76-1293	+		
Beetle, Karmann Ghia 1200 Model	66	80-1349		80-1350	
Steering Damper		76-1293	+		
Beetle, Karmann Ghia	60-65	80-1349		80-1350	
Steering Damper		76-1293	+		
Beetle, Karmann Ghia	52-59	80-1349		Not Available	
Corrado VR6 (Exc. G60)	92-95	87-2508	D	80-2587	D
—Ext. Rebound Adjustable Sport Alternative		8741-1259 Sport		8041-1108 Sport	8
Threaded Suspension Kit available, see pg. 22					
Corrado G60	90-92	8641-1198 Sport		8041-1108 Sport	8
Threaded Suspension Kit available, see pg. 22					
Dasher	81	8610-1262 Sport		80-2475	+
Eurovan	90-03	82-2379	+	82-2380	+
Golf IV, Jetta IV, (Exc. Wagon)	99-03	8710-1337 Sport		80-2761 Sport	
Threaded Suspension Kit available, see pg. 22					
Golf III, Jetta III, Cabrio 4 Cyl.	93-98	87-2507	D	80-2542	D
—Ext. Rebound Adjustable Sport Alternative		8741-1258 Sport		8041-1102 Sport	8
Threaded Suspension Kit available, see pg. 22					
Golf III, Jetta III, VR6	93-98	87-2508	D	80-2587	D
—Ext. Rebound Adjustable Sport Alternative		8741-1259 Sport		8041-1102 Sport	8
Note for '93-95 VR6 cars: front strut lowers car 19mm. Use 8041-1102 Sport lower spring perch to lower rear equal amount.					
Threaded Suspension Kit available, see pg. 22					
Golf II, Jetta II (Models w/ sealed struts)	90-92	87-2440	D	80-2542	D
—Ext. Rebound Adjustable Sport Alternative		8741-1204 Sport		8041-1102 Sport	8
Threaded Suspension Kit available, see pg. 22					
Golf II, Jetta II (Models w/ non-sealed struts)	85-90	86-2305	D	80-2542	D
—Ext. Rebound Adjustable Sport Alternative		8641-1085 Sport		8041-1102 Sport	8
Threaded Suspension Kit available, see pg. 22					
Jetta IV Wagon	02-03	8710-1337 Sport		80-2815 Sport	



Make / Model	Year	Front	Notes	Rear	Notes
Passat Sedan and Wagon (FWD) Threaded Suspension Kit available, see pg. 22	98-03	82-2488 Sport		8040-1227 Sport	
Passat (AWD) 4 motion Threaded Suspension Kit available, see pg. 22	00-03	82-2488 Sport		82-2465 Sport	
Passat VR6 Sedan and Wagon (Exc. air susp.) VR6 Passat note: car will be lowered 19mm F & R Threaded Suspension Kit available, see pg. 22	93-97	8741-1289 Sport		80-2615 Sport	
Passat Sedan and Wagon (Exc. VR6 & Synchro) Threaded Suspension Kit available, see pg. 22	90-97	8741-1289 Sport		80-2615 Sport	
Quantum (Exc. synchro)	82-85	8610-1262 Sport		80-2475	+
Rabbit, Jetta, Scirocco, All Models (Exc. Pickup) —Ext. Rebound Adjustable Sport Alternative Threaded Suspension Kit available, see pg. 22	75-84	86-1919 8641-1048 Sport	D	80-2307 8041-1101 Sport	D 8
Rabbit Convertible, Cabriolet —Ext. Rebound Adjustable Sport Alternative Threaded Suspension Kit available, see pg. 22	79-93	86-1919 8641-1048 Sport	D	80-2307 8041-1101 Sport	D 8
Vanagon	80-90	82-2100	+	82-2101	+

VOLVO

140, 160 (All Incl. 164)	67-71	80-1931		80-1932	
140, 160 (All Incl. 164)	72-74	80-1931		80-2196	+
240, 260 (Exc. Turbo) —Sport Alternative	78-92	86-1923 8641-1245 Sport	+	26-1129 26-1129 Sport	+, 3
240, 260 Series Sedan & Wagon (Exc. Turbo)	75-92	86-1923	+	26-1129	+, 3
240, 260 Series Turbo Sedan & Wagon —Sport Alternative	75-92	86-2144 8641-1245 Sport	* 6	26-1129 26-1129 Sport	+, 3
740 Sedan & Wagon. See NOTE below.	7/88-92	8641-1246 Sport		30-1479 Sport	
760 Sedan (with independent rear suspension)	7/88-92	8641-1246 Sport		Not Available	
740, 760 Sedan & Wagon, from Chassis No. F0081681. See NOTE below.	85-6/88	86-2353	+	26-1244	+, 3
850, Sedan and Wagon. See NOTE below.	92-97	8710-1350 Sport		80-2712 Sport	
940 Sedan (Exc. 2.0i-16V Turbo & cars with independent rear suspension) See NOTE below.	90-93	8641-1246 Sport		30-1479 Sport	
Amazon, 122 (Exc. GT)	57-69	80-1319	+	80-1320	+
Amazon Combi	62-69	80-1319	+	Not Available	
C70	98-02	8710-1350 Sport		80-2712 Sport	3
P444, P555	47-65	80-1003	+	Not Available	
S40, V40 left:	01-03	8741-1445L Sport		8040-1222 Sport	3
right:		8741-1445R Sport		8040-1222 Sport	
S40, V40 left:	00	8741-1403L Sport		8040-1222 Sport	3
right:		8741-1403R Sport		8040-1222 Sport	
S70, V70, L70, C70 (Exc. AWD)	97-01	8710-1350 Sport		80-2712 Sport	
S70 (Exc. AWD)	98-00	8710-1350 Sport		80-2712 Sport	3
S60, S80, V70 (Exc. AWD)	01-03	8641-1410 Sport	5	8040-1277 Sport	3
NOTE: Some Volvo models may be equipped with a self leveling rear suspension, in which case the rear springs must also be replaced. Models with factory lowered suspension will raise approx. 20 mm.		—		3330-1102	+

+ Special order part. * Available until stock is depleted. 3 Exc. mdls w/self leveling suspension.

5 Special McPherson strut insert bolted into OE housing after cutting top and removing old internal parts.

6 On turbo cars, Volvo p/n 1229423-7 (ring), 1229659-6 (dust cover), 1221647-9 (bump rubber) needed. 8 Features adjustable spring seat for ride height adjustment.

D KONI Special "D" compress to adjust red alternative for select applications.



Make / Model	Year	Front	Notes	Rear	Notes
--------------	------	-------	-------	------	-------

CHEVROLET/GMC

C-Series 1/2 & 3/4 ton, Silverado (2wd)	87-99	30-1656		30-1657	
C-Series 1/2 & 3/4 ton, Pickup (2wd), (Exc. Crew Cab)	73-86	82-1954		82-1955	
C-Series 1/2 & 3/4 ton (2wd)	63-72	82-1954		Not Available	
C-Series 3/4 ton Crew Cab, (2wd)	73-86	82-1954		Not Available	
C-Series 1 ton (2wd)	63-86	82-1954		Not Available	
G-Series 1/2, 3/4, & 1 ton Van, Express, Savana	97-00	82-2479		82-2480	
G-Series 1/2, 3/4, & 1 ton Van	88-96	82-2158		82-2345	
G-Series 1/2, 3/4, & 1 ton Van	70-87	82-2158		82-2159 SPA1	
K-Series 1/2, 3/4, & 1 ton Pickup, Silverado, Sierra (4wd)	87-99	82-2372		82-2384	
K-Series 1/2, 3/4, & 1 ton Pickup (4wd) (Exc. quad susp.)	73-86	Not Available		82-1955	
P-Series 1/2 & 3/4 ton Step Van	73-94	82-1954		82-1955	
P-Series 1 ton Step Van	73-95	82-1954		Not Available	
R-Series 1/2 & 3/4 ton Pickup (2wd), (Exc. crew cab)	87-91	82-1954		82-1955	
R-Series 1 ton Crew Cab (2wd)	87-91	82-1954		Not Available	
S-10 Blazer, Pickup, S-15 Jimmy, Sonoma (2wd)	83-02	30-1667		30-1668	
S-10 Blazer, Pickup, S-15 Jimmy, Sonoma, Syclone, Typhoon (4wd)	83-02	30-1606		30-1607	
V-Series 1/2, 3/4, & 1 ton (4wd) (Exc. quad suspension)	87-91	Not Available		82-1955	
Astro, Safari (2wd)	85-01	8240-1054		8240-1055	
Astro, Safari (Awd)	91-01	Not Available		8240-1055	
Astro (Awd)	85-90	8240-1054		8240-1055	
Blazer (K & V series 4wd) (Exc. S10 & Quad Susp.)	73-91	Not Available		82-1955	
Blazer (C series 2wd) (Exc. S10)	73-83	82-1954		82-1955	
Lumina MPV	89-96	86-2468	+	Not Available	
Suburban, (C Series 1/2 & 3/4 ton 2wd)	92-99	30-1656		30-1657	
Suburban, (K Series 1/2 & 3/4 ton 4wd)	92-99	82-2372		82-2384	
Suburban, (C & R Series 1/2 & 3/4 ton 2wd)	73-91	82-1954		82-1955	
Suburban, (K & V Series 1/2 & 3/4 ton 4wd)	73-91	Not Available		82-1955	
Tahoe, Yukon (2wd)	95-99	30-1656		30-1657	
Tahoe, Yukon (4wd)	95-99	82-2372		82-2384	
Tracker 2 door & 4 door (4wd only)	98-03	8641-1191 Sport		8040-1106 Sport	

DODGE

Caravan, Grand Caravan (Exc. AWD)	01-03	8640-1428	5	30-1627	
Caravan, All Models	96-00	8640-1344	5	30-1627	
Caravan, All Models	86-95	8741-1173		30-1381	
Dakota (4wd)	97-03	30-1673		30-1674	
Durango (4wd)	98-03	30-1673		30-1674	
Ram Pickup 1500 & 2500 (2wd)	94-01	30-1676		30-1655	
Ram Pickup 1500 & 2500 (4wd) Exc. 8800 GVW, Diesel	94-01	30-1654		30-1655	

+ Special order part.

5 Special McPherson strut insert bolted into OE housing after cutting top and removing old internal parts.



Make / Model	Year	Front	Notes	Rear	Notes
--------------	------	-------	-------	------	-------

FORD

Explorer, All Models	95-01	30-1614		30-1502	
Explorer, All Models	90-94	30-1501		30-1502	
Expedition (4wd) Exc. w/front air leveling	97-02	30-1669		30-1670	
F150, F250 (2wd) Exc. Superduty	97-02	30-1658		30-1659	
F150, F250 (4wd) Exc. Superduty	97-02	30-1669		30-1659	
Ranger (2wd)	98-03	30-1680		30-1672	
Ranger (4wd)	98-03	30-1614		30-1675	
Ranger (2wd)	90-97	30-1671		30-1672	

GEO

Tracker 2door & 4door (4wd only)	89-97	8641-1191 Sport		8040-1106 Sport	
----------------------------------	-------	-----------------	--	-----------------	--

HONDA

CRV	97-01	8041-1243 Sport		8040-1244 Sport	
Passport	98-99	30-1663		30-1664	
Passport	94-97	30-1365		30-1366	

ISUZU

Rodeo	98-99	30-1663		30-1664	
Rodeo	94-97	30-1365		30-1366	
Trooper (4wd)	87-91	30-1365		30-1366	
Trooper (4wd)	92-96	30-1565		30-1566	

JEEP

Cherokee, Wagoneer, Series XJ (4wd)	84-01	30-1348		30-1630	
Grand Cherokee	99-03	8240-1176 SPX		8240-1177 SPX	
Grand Cherokee	93-98	8240-1198 SPX		8240-1199 SPX	
Liberty	02-03	8240-1201 SPX		8240-1202 SPX	
Wrangler (with independent suspension) (4wd)	97-02	30-1348		30-1630	
Wrangler, Series YJ (4wd)	87-96	30-1350		30-1351	

KIA

Sportage	94-99	8641-1318 Sport	5	8240-1148 Sport	
----------	-------	-----------------	---	-----------------	--

LAND ROVER

Defender 90	84-98	30-1311		30-1313	
Defender 110	83-98	30-1311		30-1312	
Discovery (Series MA)	95-98	30-1311		30-1615	
Steering Damper		026-1580			
Discovery	89-94	30-1311		30-1312	
Steering Damper		026-1580			
Range Rover, all with air suspension (Exc. Classic)	95-98	30-1597		30-1598	
Range Rover, all without air suspension	71-94	30-1311		30-1312	
Steering Damper		026-1580			
Range Rover Classic, all with air suspension	94-98	84-1186		84-1187	
Steering Damper		026-1580			
Range Rover Classic, all without air suspension	94-98	30-1311		30-1312	
Steering Damper		026-1580			
Range Rover 4.2 LSE, 4.0 Vogue with air suspension	93-94	84-1186		84-1187	
Steering Damper		026-1580			



Make / Model	Year	Front	Notes	Rear	Notes
MAZDA					
B Series (2wd)	98-01	30-1680		30-1672	
B Series (4wd)	98-01	30-1614		30-1675	
B Series (2wd)	90-97	30-1671		30-1672	
Navajo	95-00	30-1614		30-1502	
MERCURY					
Mountaineer (Exc. Electronic Adj. Susp.)	95-01	30-1614		30-1502	
MITSUBISHI					
Montero (Exc. Air Susp.)	92-99	30-1456		30-1457	
NISSAN					
Pathfinder (strut front suspension)	96-99	86-2582		30-1637	
Pathfinder (2 door) R20 chassis	87-95	30-1365		30-1372	
Pathfinder (4 door) R20 chassis	94-95	30-1588		30-1372	
OLDSMOBILE					
Bravada (4wd)	91-99	30-1606		30-1607	
Silhouette MPV	89-96	86-2468	+	Not Available	
PLYMOUTH					
Voyager, All Models	96-00	8640-1344	5	30-1627	
Voyager, All Models	86-95	8741-1173		30-1381	
PONTIAC					
Transport MPV	89-96	86-2468	+	Not Available	
SUZUKI					
Sidekick 2door & 4 door (4wd only)	88-02	8741-1394 Sport		8040-1106 Sport	
X-90	96-98	8741-1394 Sport		8040-1106 Sport	
Vitara, Grand Vitara, Sidekick	88-03	8741-1394 Sport		8040-1106 Sport	
TOYOTA					
4-Runner	8/89-95	30-1421		30-1422	
RAV 4 (fits OE non-sealed struts only)	96-99	8641-1319 Sport		30-1599 Sport	
VOLKSWAGON					
Eurovan	90-03	82-2379	+	82-2380	+
Vanagon	80-90	82-2100	+	82-2101	+

+ Special order part.

5 Special McPherson strut insert bolted into OE housing after cutting top and removing old internal parts.



KONI THREADED COIL-OVER SUSPENSION KITS

Threaded Suspension Kits include 4 specially valved KONI dampers and 4 performance lowering springs. Depending on car design, most are coil-over threaded ride height adjustable and externally rebound damping adjustable.

Make / Model	Year	Kit Number	Features		Notes
			Front	Rear	

ACURA

Integra (exc. Type R)	'94-01	1150-5006-1	H, E, G	H, E, G	
-----------------------	--------	-------------	---------	---------	--

AUDI

A4 FWD & Quattro	'02-03	1150-5061	TBA	TBA	
A4 FWD 4 & 6 cyl.	'95-01	1150-5020	H	H	
A4 Quattro 4 & 6 cyl.	'95-01	1150-5019	H	H, E	
A6 FWD 4 cyl.	'98-03	1150-5015	H	G	
A6 FWD 6 cyl.	'98-03	1150-5016	H	G	
TT FWD	'00-03	1150-5058	H, E	H	
TT Quattro	'01-03	1150-5057	H, E	H	

BMW

318 Ti	'94-99	1150-5025	H, E	G	
325i, 328i E36 coupe & sedan	90-99	1150-5000	H, E	G	
325i, 328i, 330i E46 coupe & sedan (exc. Xi)	'00-03	1150-5046	H, E	H, G	
M3 E36	'95-99	1150-5023	H, E	G	
Z3 (exc. M series)	'96-02	1150-5029	H, E	G	

HONDA

Civic	'92-95	1150-5006-1	H, E, G	H, E, G	
Civic	'96-00	1150-5010	H, E, G	H, E, G	
Del Sol	'92-96	1150-5006-1	H, E, G	H, E, G	

LEXUS

IS300	'92-95	1150-5042	H, E, G	H, E, G	
-------	--------	-----------	---------	---------	--

MAZDA

Miata	'90-97	1150-5031	H, E, G	H, E, G	
Miata	'99-03	1150-5062	H, E, G	H, E, G	

SATURN

L-Series	'00-01	1150-5032	H, E	H	+
----------	--------	-----------	------	---	---

VOLKSWAGON

Beetle 4 cyl (exc. AWD)	'99-03	1150-5048	H, E	H	1, 2
Cabrio	'93-00	1150-5001-1	H, E	H, E, G	
Corrado	'90-95	1150-5001-1	H, E	H, E, G	
Golf II, Jetta II	'85-92	1150-5001-1	H, E	H, E, G	
Golf III, Jetta III	'93-98	1150-5001-1	H, E	H, E, G	
Golf IV, Jetta IV 4 cyl. (exc. AWD)	'99-02	1150-5048	H, E	H	1, 2
Golf IV, Jetta IV VR6 (exc. AWD)	'99-02	1150-5048-1	H, E	H	2
Passat (exc. AWD)	'98-03	1150-5011	H	G	
Rabbit, Rabbit Cabriolet	'75-92	1150-5008	H	H	+
Scirocco	'75-88	1150-5008	H	H	+

KONI RSK SUSPENSION KITS

Red Suspension Kits include 4 specially valved KONI internally rebound adjustable shocks and bump rubbers and 4 performance lowering springs. Ride height can be selected from multiple options at the time of installation by moving spring seat circlips. Allows for compensation of additional rear loads including heavy electronic equipment, trailering, etc. Exact lowering may vary based on vehicle models, options, and modifications.

Make / Model	Year	Kit Number	Height Lowering Range		Notes
			Front	Rear	

HONDA

Accord 4 cyl. coupe & sedan	'90-97	1250-5001	40-60 mm	30-50 mm	
Civic coupe & sedan	'96-00	1250-5002	45-65 mm	40-60 mm	
Civic coupe & sedan	'92-95	1250-5003	30-45 mm	30-40 mm	

H Ride height adjustable

E Externally rebound damping adjustable (all others standard adjustable)

G Gas Charged Dampers

1 For more aggressive front spring rate, use 1150-5048-1

2 If driveshaft diameter is > 42 mm, stock swaybar may contact driveshaft risking damage if car is lowered more than 1.5 inches. Alternate sway bars are available from other companies.

If car is lowered more than 1.5 inches, alternate sway bars are available from other companies.



KONI THREADED SPRING PERCH SLEEVES AND PARTS

Threaded coil over spring perches allow vehicles that would normally have fixed location spring perches to gain some of the benefits of racing developed tuning techniques. Performance suspension adjustments such as ride height adjustment and corner weighting or weight jacking can be performed with threaded spring perches. KONI offers several coil over sleeves and individual components to allow both street and race cars these performance benefits. Because different vehicles have different spring and shock mounting needs and uses, each installer will need to establish which parts are right for that particular application.

The threaded sleeves are designed to mount on fixed platforms or groove located circlips that are perpendicular to the damper body.

The threaded sleeves are made of anodized aluminum with threading specially designed for load carrying and self-cleaning properties. The 42 mm ID sleeves and perches are red anodized aluminum and the 50 mm ID sleeves and perches are black anodized aluminum. All lower perches have a nylon tipped locking set screw to positively lock the perch in place without damaging the threads.

Caution should be used in the installation and use of threaded spring perches to be sure not to cause damage to the vehicle from bottoming or topping springs, shocks and suspension parts. KONI cannot be held responsible for modifications or damages caused by the improper use or adjustment of threaded spring perches.



30.0000.0005
and 30.0000.0006



80.0000.1

Figure A





Figure B



42mm ID threaded sleeves & components

(fits most 80-, 8040-, 8041-, 8042- series dampers with 2 1/4" ID springs)

Set including threaded sleeve, lower spring perch, and 25mm upper spring perch (figure A)	80.0000.1
Set including threaded sleeve, lower spring perch, and 40mm upper spring perch (figure B)	80.0000.2
Threaded Sleeve	80.0000.0005
Lower spring perch with locking set screw	80.0000.0006
25 mm upper spring perch (figure A)	80.0000.0007
40 mm upper spring perch (figure B)	80.0000.0008
Nylon 2 1/4" to 2 1/2" ID spring adapters (2 needed)	15.29.04.003.0

50mm ID threaded sleeves & components

(fits all 30-, and most 82-, 8240-, 8241-, 8242-, 87-, 8741- series dampers with 2 1/2" ID springs)

Threaded sleeve	30.0000.0005
Lower spring perch with locking set screw	30.0000.0006



PASSENGER CAR, LIGHT TRUCK, MOTORHOME & MOTORCYCLE

KONI Inc. warrants all new KONI shock absorbers to the original retail purchaser (purchased after 5/1/80) against defects in material and workmanship, excluding mounting rubbers, washers and bushings, when used under normal operating conditions for as long as such purchaser owns the vehicle on which the KONI shock absorbers were originally installed. This warranty does not apply to, and KONI makes no warranty for, shock absorbers that have been installed;

- Improperly;
- As original equipment on any vehicle except Ford Mustang SVO;
- On any vehicle that has been modified for a use other than or in addition to its originally intended use;
- For an application that is not specified in the KONI literature;
- On any vehicle that has been used off-road, for **racing** or for any other driving competition.

HEAVY DUTY TRUCK & BUS

KONI Inc. warrants all new KONI shock absorbers to the original retail purchaser against defects in material and workmanship, excluding mounting rubbers, washers and bushings, when used under normal operating conditions for a period of 3 years or 300,000 miles, whichever occurs first, (purchased after July 1, 1990). This warranty does not apply to, and KONI makes no warranty for, shock absorbers that have been installed:

- Improperly
- As original equipment on any vehicle which was manufactured outside of the U.S.A.;
- On any vehicle that has been modified for a use other than or in addition to its originally intended use;
- For an application that is not specified in the KONI literature;
- On any vehicle that has been used off-road, for **racing** or for any other driving competition.

In the event of defect, malfunction or failure of the KONI shock absorbers to conform with this warranty, the original purchaser must complete the KONI warranty claim form and return it with the shock absorbers, a copy of the vehicle's current registration and the dated proof of purchase to the dealer from which the shock absorbers were purchased, or to any authorized KONI distributor, or the KONI Inc. Upon verification, warrantor or its servicing organization will repair or replace the shock absorbers at no cost to the original user. However, warrantor will not pay for the cost of the installation of the new or repaired shock absorbers, and the cost of postage and return shipping cost shall be prepaid by the original purchaser.

This warranty gives you specific legal rights, and you may have other rights which vary from state to state.

THIS WARRANTY IS LIMITED SOLELY TO THE ABOVE AND THIS WARRANTY AND ANY WARRANTIES IMPLIED BY STATE LAW WILL APPLY ONLY FOR THE TERM STATED ABOVE.

THE WARRANTOR WILL NOT BE LIABLE FOR ANY LOSS, DAMAGE, INCIDENTAL OR CONSEQUENTIAL DAMAGES OF ANY KIND WHETHER BASED UPON WARRANTY, CONTRACT OR NEGLIGENCE AND ARISING IN CONNECTION WITH THE SALE USE OR REPAIR OF THE PRODUCT.

SOME STATES DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS, OR ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGE SO THE ABOVE LIMITATIONS OR EXCLUSION MAY NOT APPLY TO YOU. UNLESS OTHERWISE CONTRARY TO STATE LAW GOVERNING THE PURCHASE, THE WARRANTOR'S LIABILITY SHALL NOT IN ANY CASE EXCEED THE CONTRACT PRICE FOR THE PRODUCT CLAIMED TO BE DEFECTIVE OR UNSUITABLE

(THIS WARRANTY IS APPLICABLE IN THE U.S.A. AND CANADA ONLY.)

WARRANTY RETURN PROCEDURE

- 1 Contact dealer from which shock absorbers were purchased, or to any authorized KONI distributor, or to KONI, 1961 International Way, Hebron, KY 41048, attention KONI Warranty, Phone: 859-586-4100, to obtain a Return Goods Authorization number.**
- 2 Provide dated proof of purchase.
- 3 Provide copy of current vehicle registration form.

- 4 Provide your name, address, day phone number, make, model & year of vehicle and description of defect.
 - 5 Return defective unit(s) - (freight prepaid) - with all mounting parts and items 2, 3 and 4.
 - 6 Upon determination of valid warranty KONI will repair or replace at its discretion.
-



A



F



G



B



H



C



I



D



J



E



K

Descriptions and Order Numbers:

- A** KONI/BAR Lady POP
5'9" cardboard cutout
#1030.10.03.00
- B** KONI Racing Hat (Red)
with BAR F1 team logo
#1030.20.51.00
- C** KONI Suspension Hat
"The Key to Speed"
Grey (Contour shape) #103966
Black (Pro shape) #103967
- D** KONI Racing/BAR
logo Coffee Mugs
#1030.00.17.00
- E** KONI Racing/BAR
Mouse Pad
#1030.00.12.00
- F** KONI Suspension Jacket
"The Key to Speed" &
"50 years" logo
XS #103910 XL #103911
S #103914 XXL #103915
M #103913 XXXL #103916
L #103912
- G** KONI Suspension Golf
Shirt (Grey)
"The Key to Speed"
S #103900 XL #103903
M #103901 XXL #103904
L #103902 XXXL #103905
- H** KONI Sweat Jacket
(Grey) Long sleeves and
hood
M #103985 XL #103987
L #103986 XXL #103988
- I** KONI Bay Banner 2' x 7'
Indoor & outdoor
#103115
- J** KONI String Banner
40' long w/triangle logos
#1030.14.80.00
- K** KONI Racing Windshield
Decal
#1030.07.04.00

For promotional items not shown including Dealer Promo Kits, stickers, posters, displays, etc., contact KONI North America at 859-586-4100.