

IMPORTANT NOTE-SUSPENSION MODIFICATIONS FOR LOWERING VEHICLE RIDE HEIGHT.

If Bilstein shocks are used in conjunction with shorter aftermarket springs, the shocks selected should be Sport type. HD or C type shocks are not suitable.

Year	Application	Setting	Front	Rear
ACURA				
RSX				
02-03		HD	In Dev.	In Dev.
		SP	In Dev.	In Dev.
Integra				
96-01	Type R	SP	BE5-2340 [Ⓜ]	BE5-2341
94-01		HD	B36-1603(L) B36-1604(R)	B46-1605
CL				
00-01		HD	In Dev.	In Dev.
		SP	In Dev.	In Dev.
97-99		HD	In Dev.	In Dev.
Legend				
89-90	Sedan	HD	B36-1200(L) B36-1199(R)	B46-1192
87-90	Coupe	HD	B36-1200(L) B36-1199(R)	B46-1192
86-88	Sedan	HD	B36-1200(L) B36-1199(R)	N/A
NSX				
91-02		HD	B46-1663	B46-1665
ALFA ROMEO				
GTV Coupe, GTV-6				
80-86		HD	B46-0465	B46-0475
Alfetta Sedan, Alfetta GT, GTV Coupe, Sprint Veloce				
75-79		HD	B46-0465	B46-0475 [Ⓜ]
GTV Coupe, GT Veloce				
70-74		HD	B46-0463	B46-0473
Berlina Sedan				
70-74		HD	B46-0463	B46-0473
Giulia Coupe, Sedan				
68-69		HD	B46-0463	B46-0473
Milano Sedan				
86-89		HD	B46-1175	B46-1176
Montreal				
70-76		HD	B46-0463	B46-0473
Spider				
66-94		HD	B46-0463	B46-0473

Year	Application	Setting	Front	Rear
AUDI				
90				
92-95	Exc. Quattro	TC	PNE-3044-BE	BNE-1967-BE
		HD	P30-3005	B36-1695
		SP	P30-3006 [Ⓜ]	B36-1696 [Ⓜ]
80, 90				
87-91	Exc. Quattro	TC	PNE-3044-BE	BNE-1930-BE
		HD	P30-3005	B36-2050
80, 90 Quattro				
88-91		TC	PNE-3044-BE	N/A [Ⓜ]
		HD	P30-3005	P36-3017 [Ⓜ]
		SP	P30-3006 [Ⓜ]	P36-3058 [Ⓜ] [Ⓜ]
100				
91-94	Exc. Quattro	TC	PNE-3039-BE	BNE-2921-BE
		HD	P36-0370	B46-1576
		SP	P36-0369	B46-1573
88-89	Exc. Quattro	TC	PNE-3039-BE	BNE-2015-BE
		HD	P36-0370	B46-0130
100, 200 Quattro				
91-96	Exc. OE Sport Suspension	TC	PNE-3039-BE	N/A
		HD	P36-0370	BE5-2593 [Ⓜ]
		SP	P36-0369 [Ⓜ]	BE5-2593 [Ⓜ]
	With OE Sport Suspension	TC	PNE-3039-BE	N/A
		HD	P36-0370	B46-2065 [Ⓜ]
		SP	P36-0369 [Ⓜ]	B46-2066 [Ⓜ] [Ⓜ]
100, 200, 5000 Quattro				
84-90	10 Valve	TC	PNE-3039-BE	N/A
		HD	P36-0370	BE5-2593
		SP	P36-0369	BE5-2593
V8 Quattro				
90-96		HD	P36-0370	B46-2065 [Ⓜ] [Ⓜ]
		SP	P36-0369 [Ⓜ]	B46-2066 [Ⓜ] [Ⓜ]
4000, 4000S				
79-87	Exc. Quattro; From 6/79	TC	PNE-3040-BE	BNE-1968-BE
		HD	P30-3005	B36-2051
4000 Quattro				
84-87		HD	P30-3005	P36-3017
		SP	P30-3006 [Ⓜ]	P36-3058 [Ⓜ]
5000, 5000S, 5000CS				
84-87	Exc. Quattro	TC	PNE-3039-BE	BNE-2015-BE
		HD	P36-0370	B46-0130

(L) - Left side (R) - Right side [Ⓜ] Recommended for use if shorter springs are installed.

[Ⓜ] Recommended for use if shorter springs are installed. On cars with coilover rear suspension, some rear shocks allow ride height adjustability.

[Ⓜ] M12 thread at upper mount. [Ⓜ] Except self leveling system. [Ⓜ] M10 thread at upper mount.

[Ⓜ] Original brake line bracket must be re-used, installation tool included. [Ⓜ] Exc. 20 Valve.

PASSENGER CAR LISTINGS



Year	Application	Setting	Front	Rear
AUDI (cont.)				
A4				
02-03	Exc. Quattro; Sedan, Wagon	HD	BE5-6514-H0	BE5-6515-H0
		SP	BE5-6516-H0	BE5-6517-H0
00-01	Exc. Quattro; Sedan, Wagon; From 07/00	HD	BE5-6512-H0	BE3-6259-H0
		SP	BE5-6513-H0	BE3-6259-H0
99-00	Exc. Quattro; Sedan, Wagon; From 02/99; To 06/00	HD	B36-2079	BE3-6259-H0
		SP	B36-2081 [1]	BE3-6259-H0
96-99	Exc. Quattro; Sedan, Wagon; To 1/99	TC	PNE-3116-BE	BNE-2920-BE
		HD	B36-2079	B36-2080
		SP	B36-2081 [1]	B36-2082 [2]
A4 Quattro				
02-03	Sedan, Wagon	HD	BE5-6514-H0	BE5-6515-H0
		SP	BE5-6516-H0	BE5-6517-H0
00-01	Sedan, Wagon; From 07/00	HD	BE5-6512-H0	BE3-2621
		SP	BE5-6513-H0	BE3-2622
98-00	Sedan, Wagon; From 3/98; To 6/00	HD	B36-2079	BE3-2621
		SP	B36-2081	BE3-2622
96-98	Sedan, Wagon; To 2/98	TC	PNE-3116-BE	N/A
		HD	B36-2079	BE3-2669-M2
		SP	B36-2081	BE3-2669-M2
S4				
97-02	From 09/97	HD	BE3-6211	BE3-6212
		SP	BE3-6213	BE3-6214
91-96	Exc. Sport Suspension	TC	PNE-3039-BE	N/A
		HD	P36-0370	BE5-2593 [2]
	Sport Suspension	SP	P36-0369 [1]	BE5-2593 [2]
		HD	P36-0370	B46-2065 [2] [3]
SP	P36-0369 [1]	B46-2066 [2] [3]		
A6				
97-03	Exc. Quattro; From 2/97	PSS9	GM5-8874-H0 (Kit)	
00-02	Exc. Quattro; Sedan; From 05/00	HD	In Dev.	In Dev.
		SP	BE5-6508-H0	BE5-6542-H0
	Exc. Quattro; Wagon; From 05/00	HD	In Dev.	In Dev.
		SP	BE5-6508-H0	BE5-6544-H0
97-00	Exc. Quattro; Sedan; From 2/97; To 04/00	TC	VNE-4577-BE	BNE-2944-BE
		HD	B36-2079	BE3-2532
		SP	B36-2081 [1]	BE3-2533 [2]
	Exc. Quattro; Wagon; From 2/97; To 04/00	HD	B36-2079	BE3-2699-H0
		SP	B36-2081 [1]	BE3-2700-H0

Year	Application	Setting	Front	Rear
AUDI (cont.)				
A6, S6 Quattro				
97-03	From 12/97	PSS9	GM5-8868-H0 (Kit)	
00-02	From 05/00	HD	BE5-6508-H0	BE5-6509-H0
		SP	BE5-6510-H0	BE5-6511-H0 [2]
97-00	From 02/97; To 04/00	TC	VNE-4577-BE	N/A
		HD	In Dev.	In Dev.
		SP	In Dev.	In Dev.
94-97	Exc. Sport Suspension; From 06/94; To 02/97	TC	PNE-3039-BE	N/A
		HD	P36-0370	BE5-2593
		SP	P36-0369 [1]	BE5-2593
		HD	P36-0370	B46-2065 [2] [2]
SP	P36-0369	B46-2066 [2] [2]		
A8				
98-03		SP	BE3-2609	BE5-2616
S8				
98-03		SP	BE3-2609	BE5-2616
Coupe Quattro				
88-91	Exc. 20 Valve	TC	PNE-3044-BE	N/A
		HD	P30-3005	P36-3017
		SP	P30-3006 [1]	P36-3058 [2]
81-87	Turbo; 10 Valve	TC	PNE-3044-BE	N/A
		HD	P36-3016	P36-3017
Fox				
72-79	Sedan	HD	P30-3005	N/A
TT Coupe/ Roadster				
00-03	Exc. Quattro	HD	VE3-4637	BE3-6032
		SP	VE3-4638	BE3-6033
		PSS	HE5-8047-H0 (Kit)	
		PSS9	GM5-8048-H0 (Kit)	
TT Coupe/ Roadster Quattro				
00-03		HD	VE3-4637	BE5-6034
		SP	VE3-4638	BE5-6035
		PSS	HE5-8041-H0 (Kit)	
		PSS9	GM5-8042-H0 (Kit)	
AUSTIN				
Healey 3000 Ph. 2, BJ8				
65-68		SP	Please Inquire	Please Inquire
Healey 100-6, 3000				
59-64		SP	BE3-2576	BE3-2577
Healey 100-M, BN1, BN2				
53-56		SP	Please Inquire	Please Inquire

[1] Recommended for use if shorter springs are installed.

[2] Recommended for use if shorter springs are installed. On cars with coilover rear suspension, some rear shocks allow ride height adjustability.

[3] M12 thread at upper mount.

[4] Protective boot & bumpstop (when applicable) from original shock must be re-installed. Failure to install proper parts will result in damage to shocks and to vehicle.

[5] Struts with M50x1.5 threads. [2] M10 thread at upper mount. [3] Struts with M48x1.5 threads.

Year	Application	Setting	Front	Rear
BMW				
4 Cylinder				
1600-2, 1602, 1600Ti, 1802, 2002, 2002Ti, 2002Tii, Touring 1600, Touring 1800, Touring 2000, Touring 2000Tii, Touring 1802, Touring 2002, Touring 2002Tii				
66-76		HD	P30-0023	B46-0803
		SP	P30-0025 [1]	B46-0118 [2]
6 Cylinder				
2500, 2800, 3.0S, 3.0Si, 3.3L, Bavaria				
76-77	Sedan; From 9/76	C	P36-0326 [89]	N/A
		SP	P36-0247 [1]	B46-0819 [2] [4]
68-76	Sedan; To 8/76	SP	P36-0024 [5]	B46-0819 [2]
2800, 3.0CS, 3.0CSI				
76-77	Coupe; From 9/76	SP	P36-0247 [1]	B46-0813 [2]
68-76	Coupe; To 8/76	HD	P36-0024 [5]	B46-0813 [2]
BMW 3 Series				
M3				
00-03	E46 Chassis	PSS9	GM5-8611-H0 (Kit)	
95-99	E36 Chassis	SP	VE3-4237(L) VE3-4238(R)	BE5-2453
87-91	E30 Chassis	HD	P36-0136	B36-2028 [4]
		SP	P36-0335 [1]	B36-2027 [2] [4]
Z3 M Roadster & Coupe				
99-02		TC	VNE-4419-BE(L) VNE-4420-BE(R)	BNE-1981-BE
		HD	VE3-4393(L) VE3-4394(R)	BE5-2718
		SP	VE3-4404(L) VE3-4405(R)	BE5-2730
Z3 Coupe				
99-02	E36 Chassis	SP	VE3-4402(L) VE3-4403(R)	BE3-2817
Z3 Roadster				
96-02	E36 Chassis; From 3/96	TC	VNE-4419-BE(L) VNE-4420-BE(R)	BNE-1981-BE
		SP	VE3-4402(L) [4] VE3-4403(R) [4]	BE3-2386
330 All Models Except xi				
99-03	E46 Chassis	HD	VN7-4334(L) VN7-4335(R)	BE3-2697
		SP	VN7-4383(L) VN7-4384(R)	BE3-2698
323, 325, 328 All Models Except xi				
99-00	E46 Chassis	HD	VN7-4334(L) VN7-4335(R)	BE3-2697
		SP	VN7-4383(L) VN7-4384(R)	BE3-2698
		PSS	HE5-8035 (Kit)	
		PSS9	GM5-8036 (Kit)	

Year	Application	Setting	Front	Rear
BMW (cont.)				
318ti				
94-00	E36 Chassis; From 3/94	TC	VNE-4419-BE(L) VNE-4420-BE(R)	BNE-2753-BE
		HD	VE3-4400(L) VE3-4401(R)	B36-2028 [4]
		SP	VE3-4402(L) VE3-4403(R)	B36-2027 [2] [4]
318ti, 323ti				
94-00	E36 Chassis; From 3/94	PSS	HE5-8039 (Kit)	
		PSS9	GM5-8040 (Kit)	
318, 325, 328 All Models Exc. Ti				
92-98	E36 Chassis; From 6/92	TC	VNE-4419-BE(L) VNE-4420-BE(R)	BNE-2752-BE
		HD	VE3-4400(L) VE3-4401(R)	B36-1525
		SP	VE3-4402(L) VE3-4403(R)	B36-1526
		BTS	BTS-7508 (Kit)	
		PSS	HE5-8033 (Kit)	
		PSS9	GM5-8034 (Kit)	
318i All Models				
91-92	E36 Chassis; To 5/92	TC	VNE-4415-BE(L) VNE-4416-BE(R)	BNE-2752-BE
		HD	V36-0379(L) V36-0380(R)	B36-1525
		SP	V36-0381(L) V36-0382(R)	B36-1526
325i All Models Except 325ix				
91-92	E36 Chassis; To 5/92	TC	VNE-4417-BE(L) VNE-4418-BE(R)	BNE-2752-BE
		HD	V36-0367(L) V36-0368(R)	B36-1525
		SP	V36-0369(L) V36-0370(R)	B36-1526
325ix				
86-91	E30 Chassis	TC	N/A	BNE-1981-BE
		HD	P36-0251	B36-2028 [4]
318is, 325e, 325es, 325i, 325is				
83-91	E30 Chassis; Including Convertible	TC	PNE-3050-BE [7]	BNE-1981-BE
		HD	P36-0136 [7]	B36-2028 [4]
		SP	P36-0335 [1] [7]	B36-2027 [2] [4]
		BTS	BTS-7511 (Kit)	
318i, 323i, 325				
84-88	E30 Chassis	TC	PNE-3049-BE [6]	BNE-1981-BE
		HD	P30-0128 [6]	B36-2028 [4]
		SP	P30-0334 [1] [6]	B36-2027 [2] [4]
320i				
76-83	E21 Chassis	TC	PNE-3042-BE	BNE-1980-BE
		HD	P30-0121-H1	B46-0612 [4]
		SP	P30-0125 [1]	B46-0617 [2] [4]

(L) - Left side (R) - Right side [1] Recommended for use if shorter springs are installed.

[2] Recommended for use if shorter springs are installed. On cars with coilover rear suspension, some rear shocks allow ride height adjustability.

[4] Protective boot & bumpstop (when applicable) from original shock must be re-installed. Failure to install proper parts will result in damage to shocks and to vehicle.

[5] Struts with M50x1.5 threads. [6] Outside housing diameter 45mm. [7] Outside housing diameter 51mm. [89] Struts with M48x1.5 threads.

PASSENGER CAR LISTINGS



Year	Application	Setting	Front	Rear
BMW (cont.)				
320/6, 323i				
78-82	E21 Chassis	TC	PNE-3035-BE	BNE-1980-BE
		HD	N/A	B46-0612 [4]
BMW 5 Series				
528i				
96-02	E39 Chassis	HD	VN3-4438 [18]	BE5-2828
		SP	VN3-4439 [18]	BE5-2829
540i All Models				
96-02	E39 Chassis	HD	VN3-4440 [18]	BE5-2828
		SP	VN3-4441 [18]	BE5-2829
92-95	E34 Chassis	TC	PNE-3119-BE	BNE-2006-BE [11]
		HD	P36-3022	B46-1221 [11]
		SP	P36-3019 [1]	B46-1486 [2] [11]
525i, 525TD, 530i, 535i, M Technik Exc. M5				
90-95	E34 Chassis; From 8/90	TC	PNE-3024-BE [10] PNE-3118-BE [13] PNE-3119-BE [12]	BNE-2006-BE [11] BNE-2006-BE [11] BNE-2006-BE [11]
		HD	P36-3021 [10] P36-3022 [12] P36-3023 [13]	B46-1221 [11] B46-1221 [11] B46-1221 [11]
		SP	P36-3018 [1] [10] P36-3019 [1] [12] P36-3020 [1] [13]	B46-1486 [2] [11] B46-1486 [2] [11] B46-1486 [2] [11]
88-90	E34 Chassis; From 1/88; To 7/90	TC	PNE-3024-BE [10] PNE-3118-BE [13] PNE-3119-BE [12]	BNE-2006-BE [11] BNE-2006-BE [11] BNE-2006-BE [11]
		HD	P36-3021 [10] P36-3022 [12] P36-3023 [13]	B46-1221 [11] B46-1221 [11] B46-1221 [11]
		SP	P36-3018 [1] [10] P36-3019 [1] [12] P36-3020 [1] [13]	B46-1247 [2] [11] B46-1247 [2] [11] B46-1247 [2] [11]
M5				
85-88	E28 Chassis; Sedan	HD	P36-0243	B46-0608 [4] [11]
525e, 528e, 533i, 535i, 535is				
82-88	E28 Chassis	TC	PNE-3051-BE	BNE-2017-BE [4] [11]
		C	P36-0239	B46-0610 [4] [11]
		HD	P36-0233	B46-0608 [4] [11]
		SP	P36-0243 [1]	B46-0607 [2] [4] [11]
518, 520i, 525, 528i, 530i All models				
76-81	E12 Chassis; From 9/76	TC	PNE-3036-BE	BNE-2016-BE
		C	P36-0228 [8] [9]	N/A
		HD	P36-0326 [8] [9]	B46-0730 [4]
		SP	P36-0247 [1] [8]	N/A
72-76	E12 Chassis; To 8/76	HD	P36-0024 [5] [9]	B46-0730 [4]
		SP	P36-0024 [1] [5] [9]	N/A

Year	Application	Setting	Front	Rear
BMW (cont.)				
BMW 6 Series				
L6, M6				
87-88	E24 Chassis; Coupe	HD	P36-0233	N/A
628CSi, 630CSi, 633CSi, 635CSi				
83-89	E24 Chassis	TC	PNE-3051-BE	BNE-2017-BE
		C	P36-0239	B46-0610 [4] [11]
		HD	P36-0233	B46-0608 [4] [11]
		SP	P36-0243 [1]	B46-0607 [2] [4] [11]
77-82	E24 Chassis; From 10/77; To 9/82	TC	PNE-3036-BE	BNE-2016-BE
		HD	P36-0229	B46-0802 [4] [11]
		SP	P36-0247 [1]	N/A
M635CSi (M88)				
83-89		HD	P36-0243	N/A
BMW 7 Series				
740, 750 All Models				
94-99	E38 Chassis; From 7/94	TC	VE3-4988-H0(L) VE3-4989-H0(R)	BNE-2867-BA [11]
		HD	VE3-4169(L) VE3-4170(R)	B46-2138
730i, 735i, 740i, 750i All Models				
90-94	E32 Chassis; From 7/90; To 6/94	TC	PNE-3114-BA	BNE-2863-BA
		HD	P36-0368	B46-1148 [11]
		SP	P36-0361	B46-1527 [11]
88-90	E32 Chassis; From 3/88; To 6/90	HD	P36-0353	B46-1148 [11]
		SP	P36-3018 [1]	B46-1527 [11]
	E32 Chassis; From 5/88; To 6/90	TC	PNE-3113-BA	BNE-2863-BA
87-88	E32 Chassis; To 2/88	HD	P36-0258	B46-1148 [11]
	E32 Chassis; To 4/88	TC	PNE-3112-BA	BNE-2863-BA
733i, 735i, 745i				
82-86	E23 Chassis	TC	PNE-3036-BE	N/A
		C	P36-0232 [14]	B46-0722 [4] [11]
		HD	P36-0231	B46-0721 [4] [11]
		SP	P36-0247 [1]	N/A
728, 728i, 730, 732i, 733i, 735i, 745i				
77-81		C	P36-0232 [14]	N/A
		HD	P36-0231	N/A
BMW 8 Series				
840, 850 All Models				
91-97		SP	MSP-05491	MSP-05490 [4] [11]

(L) - Left side (R) - Right side [1] Recommended for use if shorter springs are installed.

[2] Recommended for use if shorter springs are installed. On cars with coilover rear suspension, some rear shocks allow ride height adjustability.

[4] Protective boot & bumpstop (when applicable) from original shock must be re-installed. Failure to install proper parts will result in damage to shocks and to vehicle.

[5] Struts with M50x1.5 threads.

[8] CA cars, manual trans from chassis #5060314; CA cars, automatic transmission from chassis #5080277; 49 states cars, manual trans from chassis #5070355; 49 states cars, automatic trans from chassis #5090332.

[9] CA cars, manual trans up to chassis #5060313; CA cars, automatic trans up to chassis #5080276; 49 states cars, manual trans up to chassis #5070354; 49 states cars, automatic trans up to chassis #5090331.

[10] 2.5" dust cap on top of upper support bearing with 19mm nut. [11] Except self leveling system.

[12] 2.5" dust cap on top of upper support bearing with 22mm nut. [13] 1.125" dust cap on top of upper support bearing.

[14] Special tool required for installation; Available from BMW. [18] Original equipment spring seat must be re-used to mount standard shock.

[89] Struts with M48x1.5 threads.

Year	Application	Setting	Front	Rear
BUICK				
Full Size: Electra, Le Sabre, Roadmaster				
91-96	RWD; Exc. Wagon	HD	B46-1516	B46-1517
		SP	B46-1104	B46-0929
Full Size: Estate, Roadmaster				
71-96	RWD; Wagon	HD	B46-1104	B46-0929
Full Size: Electra, Le Sabre, Roadmaster				
77-90	RWD; Exc. Wagon	HD	B46-1104	B46-0929
Century				
82-93		HD	S36-0203	B46-1019
73-81		HD	B36-0949	B46-0929
Regal, Grand National, GNX				
73-87	RWD	HD	B36-0949	B46-0929
Skylark				
80-85		HD	S36-0203	B46-1019
Skylark, Special				
67	Exc. Wagon; Exc. HD Rear	HD	BE3-2972	AK2080
64-66	Exc. Wagon	HD	BE3-2972	AK2080
CADILLAC				
Brougham				
85-90	RWD	HD	B46-1104	B46-0929
Brougham, DeVille, Fleetwood				
80-84	RWD	HD	B46-1104	B46-0929
Seville				
75-79		HD	B36-0949	N/A
CHEVROLET				
Full Size: Caprice Classic, Caprice, Impala				
91-96	RWD; Exc. Wagon	HD	B46-1516	B46-1517
		SP	B46-1104	B46-0929
65-96	RWD; Wagon	HD	B46-1104	B46-0929
65-90	RWD; Exc. Wagon	HD	B46-1104	B46-0929
Impala SS				
94-96		HD	B46-1104	B46-0929
Bel Air, Nomad				
55-57		HD	AK3501	AK3502
Camaro All Models				
93-02		HD	B46-1913 ^①	B46-1914
		BTS	BTS-7501 (Kit)	
82-92		HD	S36-0201	B46-1121
		SP	S36-0201	B46-1021 ^②
77-81		HD	B46-1104	B46-0156
70-76		HD	BE3-2972	B46-0156
68-69	Monoleaf rear	HD	BE3-2972	AK2073
	Multileaf rear	HD	BE3-2972	AK2074
Celebrity				
82-89		HD	S36-0203	B46-1019

Year	Application	Setting	Front	Rear
CHEVROLET (cont.)				
Chevelle, Malibu				
73-83	Exc. Wagon	HD	B36-0949	B46-0929
73-77	Wagon	HD	B36-0949	N/A
68-72	Exc. Wagon	HD	AK2070	B46-0929
67	Exc. Wagon; Exc. HD Rear	HD	BE3-2972	AK2080
64-66	Exc. Wagon	HD	BE3-2972	AK2080
Citation Including XII				
80-84		HD	S36-0203	B46-1019
Corvette				
97-02	With Z51 Suspension	HD	BE5-2975	BE5-2976
		SP	BE5-2977	BE5-2978
95-96	With Z51 Suspension; 17" Wheels	SP	B46-2057	B46-2058
89-96	Exc. Z51 Suspension	HD	B46-2053	B46-2054
	With Z51 Suspension; Convertible	HD	B46-2055	B46-2056
89-94	With Z51 Suspension; 17" Wheels	SP	B46-1177	B46-1178
88	Exc. Z51 Suspension	HD	B46-1131	B46-2054
	With Z51 Suspension; 17" Wheels	SP	B46-1113	B46-1178
84-87	Exc. Z51 Suspension	HD	B36-0228	B46-1063
	With Z51 Suspension; 17" Wheels	SP	B36-0228	B46-0238
63-82		HD	B36-0946	B46-0956
		SP	B36-0222	B46-0232
53-62		HD	B46-0283	B46-0493
Corvette ZR1				
92-95	With Selective Ride	SP	BA5-7027 ^②	BA5-7028 ^②
89-91	With Selective Ride	SP	BA5-7000 ^②	BA5-7001 ^②
Monte Carlo Including SS				
73-88		HD	B36-0949	B46-0929
Nova				
73-74		HD	B36-0949	AK2071
68-72		HD	AK2070	AK2071
EAGLE				
Talon				
90-94	2WD	TC	VNE-4780-BK	BNE-6336-BK
	4WD	TC	VNE-4780-BK	BNE-6337-BK
FORD				
Full Size: Crown Victoria, Country Squire				
83-02	Including Wagon	C	B46-1497	B46-1498 ^①
		HD	B46-1495	B46-1496 ^①
Full Size: Crown Victoria, LTD, Country Squire				
79-82	Including Wagon	C	B46-1497	B46-1498 ^①
		HD	B46-1495	B46-1496 ^①
Fairmont, Futura				
78-83		HD	N/A	AK2288

^② Recommended for use if shorter springs are installed. On cars with coilover rear suspension, some rear shocks allow ride height adjustability.

^① Except self leveling system.

^③ Re-install original equipment hardware.

^② Adjustable Shock Absorbers.

PASSENGER CAR LISTINGS



Year	Application	Setting	Front	Rear
FORD (cont.)				
Focus				
99-03	Hatchback	PSS9	GM5-8045-H0 (Kit)	
	Sedan	PSS9	GM5-8046-H0 (Kit)	
	Sedan, Hatchback	HD	In Dev.(L) In Dev.(R)	In Dev.
		SP	In Dev.(L) In Dev.(R)	In Dev.
	Wagon	HD	In Dev.(L) In Dev.(R)	In Dev.
		SP	In Dev.(L) In Dev.(R)	In Dev.
Granada				
81-82	USA models	HD	N/A	AK2288
LTD				
83-85		HD	N/A	AK2288
LTD II, Torino, Cobra				
72-79		C	B46-1497	B46-1498
Mustang				
99-04	Cobra; IRS	HD	V36-4138-H1	BE5-2959-H0
		SP	VE3-4593	BE5-2959-W0
		BTS	BTS-7507 (Kit)	
	Exc. Cobra; Convertible	HD	V36-4138-H1	BE5-6418-H0
		Axle Wrap	N/A	B36-2149
		BTS	BTS-7504 (Kit)	
	Exc. Cobra; Exc. Convertible	HD	V36-4138-H1	BE5-6418-H0 [Ⓜ]
		BTS	BTS-7503 (Kit)	
94-98	Convertible	HD	V36-4138-H1	BE5-6418-H0 [Ⓜ]
		BTS	BTS-7504 (Kit)	
	Exc. Convertible	HD	V36-4138-H1	BE5-6418-H0 [Ⓜ]
		BTS	BTS-7503 (Kit)	
87-93	GT, LX; 5.0L; Convertible	HD	V36-4138-H1	B46-2148-H1 [Ⓜ]
		BTS	BTS-7506 (Kit)	
	GT, LX; 5.0L; Exc. Convertible	HD	V36-4138-H1	B46-2148-H1 [Ⓜ]
		BTS	BTS-7505 (Kit)	
	LX; 2.3L	HD	N/A	AK2288
79-86	Exc. SV0	HD	N/A	AK2288
Mustang II				
73-78	From 12/73	HD	AK1352	N/A
Thunderbird				
89-97		HD	B46-1505 [Ⓜ]	B46-1506 [Ⓜ]
87-88	Exc. Turbo Coupe	HD	N/A	B46-1041
80-86	Exc. Turbo Coupe	HD	N/A	B46-1041 [Ⓜ]
77-79	Exc. Turbo Coupe	HD	B46-1495	B46-1496

Year	Application	Setting	Front	Rear
HONDA				
Accord				
98-02	Sedan, Coupe	HD	BE5-6578-H0	BE5-6579-H0
		SP	BE5-6580-H0	BE5-6581-H0
93-97	From 9/93	TC	BNE-6285-BK(L) BNE-6286-BK(R)	BNE-6323-BK
		HD	BE5-2371 [Ⓜ]	B46-2114
89-93	From 9/89; To 8/93	HD	B36-1721(L) B36-1722(R)	B46-1723
86-89	To 8/89	TC	BNE-6273-BK(L) BNE-6274-BK(R)	BNE-6317-BK
		HD	B36-1135(L) B36-1136(R)	B36-1089
Civic				
01-03		HD	In Dev.	In Dev.
		SP	In Dev.	In Dev.
96-00		TC	BNE-6293-BK	BNE-6327-BK
		HD	BE5-2336 [Ⓜ]	BE5-2337
		SP	BE5-6408	BE5-2337-H1
	Exc. Wagon	BTS	BTS-7502 (Kit)	
92-95		TC	BNE-6283-BK(L) BNE-6284-BK(R)	BNE-6319-BK
		HD	B36-1603(L) B36-1604(R)	B46-1605
89-91	Exc. Wagon	TC	BNE-6277-BK(L) BNE-6278-BK(R)	BNE-6319-BK
		HD	B36-1381(L) B36-1380(R)	B46-1382
		BTS	BTS-7512 (Kit)	
88	Exc. Wagon	TC	BNE-6277-BK(L) BNE-6278-BK(R)	BNE-6318-BK
		HD	B36-1381(L) B36-1380(R)	BE5-2341
		BTS	BTS-7513 (Kit)	
84-87		TC	VNE-4728-BK(L) VNE-4729-BK(R)	BNE-6316-BK
CRX				
89-91		TC	BNE-6275-BK(L) BNE-6276-BK(R)	BNE-6319-BK
		HD	B36-1381(L) B36-1380(R)	B46-1382
		BTS	BTS-7512 (Kit)	
88		TC	BNE-6275-BK(L) BNE-6276-BK(R)	BNE-6318-BK
		HD	B36-1381(L) B36-1380(R)	BE5-2341
		BTS	BTS-7513 (Kit)	
84-87		TC	VNE-4728-BK(L) VNE-4729-BK(R)	BNE-6316-BK
Del Sol				
93-97		TC	BNE-6283-BK(L) BNE-6284-BK(R)	BNE-6319-BK
		HD	B36-1603(L) B36-1604(R)	B46-1605

(L) - Left side (R) - Right side [Ⓜ]Vertical location shocks only. Horizontal location shocks N/A. [Ⓜ]Does not replace electronically adjustable system.
[Ⓜ]For Axle Wrap use part B36-2149. [Ⓜ]Original brake line bracket must be re-used, installation tool included.

Year	Application	Setting	Front	Rear
HONDA (cont.)				
Prelude				
91-01	Exc. Sport Handling Model; From 9/91	TC	BNE-6289-BK(L) BNE-6290-BK(R)	BNE-6325-BK
		HD	B36-1678(L) B36-1679(R)	B46-1675
		SP	B36-1775(L) B36-1776(R)	B46-1777
88-91	To 8/91	TC	BNE-6273-BK(L) BNE-6274-BK(R)	BNE-6326-BK
S2000				
99-03	From 6/99	PSS	HE5-8038-MO (Kit)	
		PSS9	GM5-8865-HO (Kit)	
HYUNDAI				
Elantra				
96-00		TC	VNE-4732-BK(L) VNE-4733-BK(R)	VNE-4886-BK(L) VNE-4887-BK(R)
Tiburon				
96-01		TC	VNE-4732-BK(L) VNE-4733-BK(R)	VNE-4886-BK(L) VNE-4887-BK(R)
JAGUAR				
XJ-12				
94-97	XD305 Chassis	HD	BE3-61742	B46-1858
XJ-6				
94-97	X304 Chassis	HD	B36-1861	B46-1858
XJ-6, XJ-12				
86-93	From 10/86; To 11/93	HD	B36-1804	B46-1805 [1] [2]
69-86	To 9/86	HD	BE3-2445	BE3-2446
XJ-R				
94-97	X306 Chassis	HD	BE3-6724-M0	BE5-6725-M0
XJ-S				
87-96		HD	BE3-2445	BE3-2446
LEXUS				
GS300, GS400				
98-02		HD	BE5-2743	BE5-2744
		SP	BE5-2802	BE5-2803
		PSS	SS0-8301 (Kit)	
GS430				
98-02		PSS	SS0-8301 (Kit)	
IS300				
01-03		HD	BE5-6048-H0	BE5-6049-H0
LS400				
95-00		HD	BE5-2734	BE5-2735
LINCOLN				
Continental				
80-81		C	B46-1497	B46-1498
Continental Mark VI				
80-83		C	B46-1497	B46-1498

Year	Application	Setting	Front	Rear
LINCOLN (cont.)				
Continental Mark V				
77-79		C	B46-1497	N/A
Continental Mark IV				
73-76		C	B46-1497	N/A
Continental Mark III				
68-71		C	B46-1497	N/A
Town Car				
82-95		C	B46-1497	B46-1498
		HD	B46-1495	B46-1496
MASERATI				
Bi-Turbo				
84-87		HD	In Dev.	In Dev.
MAZDA				
MX5 Miata				
98-03		HD	BE5-2763	BE5-2764
		SP	BE5-2765	BE5-2766
		PSS	SS0-8300 (Kit)	
		PSS9	GM5-8609-HO (Kit)	
90-97		HD	B46-1488	B46-1489
RX-7				
92-95		HD	B46-1779(L) B46-1778(R)	B46-1550
86-91		HD	R30-5014 [3]	B46-1214
79-85		HD	In Dev.	In Dev.
MERCEDES BENZ				
Important Note: When in doubt as to which shock absorber is correct (eg. 1976 240D), check the chassis number of the car and compare it to the production series numbers listed below. If the first three digits of the chassis number match the production series number, the shocks listed will fit the car.				
Series R107				
350SL, 560SL				
85-91	From 9/85	HD	B36-0524	B46-1184
Series R129				
SL320, SL500				
94-01	Exc. Hydromatic	HD	V36-0232	B36-1316
300SL, 320SL, 500SL				
92-93	Exc. Hydromatic; From 2/92	HD	V36-0232	B36-1316
90-92	Exc. Hydromatic; To 1/92	HD	V36-0364	B36-1316
Series W107				
280SL, 350SL, 380SLC, 380SL, 450SL, 450SLC, 500SL				
71-85	Exc. Hydromatic; To 8/85	HD	B36-0707	B46-1184
		Steering Damper	B22-0246-BM	
Series W108/W110/W111/W112				
250, 250S, 250SE, 280SE, 280SEL				
65-72	To 8/72	HD	B36-0527	B46-0537
		Steering Damper	B22-0246-BM	

(L) - Left side (R) - Right side [1] Except self leveling system. [2] Original equipment spring seat must be re-used to mount standard shock. [3] This is an R style insert. The original strut housing must be modified (sealed unit) in order to utilize. Recommend to skilled installer only.

PASSENGER CAR LISTINGS



Year	Application	Setting	Front	Rear
MERCEDES BENZ (cont.)				
300SEb				
65-70		HD	B36-0527	B46-0537
		Steering Damper	B22-0246-BM	
200, 200D, 230, 230S				
65-68		HD	B36-0527	B46-0537
		Steering Damper	B22-0246-BM	
190c, 190Dc				
61-65	To 6/65	HD	B36-0527	B46-0537
		Steering Damper	B22-0246-BM	
220Eb				
60-65	Coupe, Cabriolet	HD	B36-0527	B46-0537
		Steering Damper	B22-0246-BM	
220b, 220sb				
59-65	To 7/65	HD	B36-0527	B46-0537
		Steering Damper	B22-0246-BM	
219, 220				
55-61		HD	B46-0002	B46-0012
		Steering Damper	B22-0246-BM	
220a, 220S, 220SE, 220Ca				
57-60		HD	B46-0002	B46-0012
		Steering Damper	B22-0246-BM	
180, 180D, 190, 190D				
55-60		HD	B46-0002	B46-0012
		Steering Damper	B22-0246-BM	
190SL				
55-59		HD	B46-0002	B46-0012
		Steering Damper	B22-0246-BM	
600				
63-68	Limousine	HD	B46-0506	B60-0516
Series W109				
300SE, 300SEL				
61-72		HD	B36-0507	B46-0534
		Steering Damper	B22-0246-BM	
Series W113				
230SL, 250SL, 280SL				
63-71		HD	B36-0529	B46-0539
		Steering Damper	B22-0246-BM	

Year	Application	Setting	Front	Rear
MERCEDES BENZ (cont.)				
Series W114/W115				
200, 200D, 220, 220D, 300D, 230, 250, 250C, 250CE, 230.4, 230.6, 240D, 280, 280C, 280CE, 280E				
68-76		C	B36-0525	B46-0535
		HD	B36-0526	B46-0536
		Steering Damper	B22-0246-BM	
Series W116				
280S, 280SE, 280SEL, 300SD, 350SE, 450SE, 450SEL, 350SEL, 450SEL 6.9, 500SEL				
73-80	Exc. Hydromatic	C	B36-0706	B46-1184
		HD	B36-0705	B46-0511
		Steering Damper	B22-0246-BM	
Series W123				
200, 230, 230E, 250, 280E, 280CE, 200D, 220D, 240D, 300D, 300CD, 300TD, 300TD Turbo				
76-85	Exc. Self Leveling System	C	B36-0703	B46-0713
		HD	B36-0704	B46-0714
		Steering Damper	B22-0246-BM	
Series W124 (E-Class)				
200, 230E, 260E, 300E, 200D, 250D, 300D, 300D Turbo, E420				
92-95		C	V36-4050	B36-1388
83-91		C	V36-0185	B36-1518
		HD	V36-0361	B36-1385
		SP	V36-0365 ¹	B36-1470 ²
Series W124C (E-Class)				
230, 300CE				
87-95		C	V36-0190	B36-1668
		HD	V36-0361	B36-1385
Series W126 (S-Class)				
280S, 280SE, 300SD, 380SE, 380SEL, 380SEC, 500SE, 500SEL, 500SEC, 260SE, 300SE, 300SDL, 420SE, 420SEL, 560SEL, 560SEC				
85-91	Exc. Hydromatic or Self Leveling Rear	Steering Damper		B22-0246-BM
79-91	Exc. Hydromatic or Self Leveling Rear; From 10/79	C	B36-1183	B46-1184
		HD	B36-0501	B46-0511
Series W140 (S-Class)				
300SE, 400SE, 500SEL, 300SD, 600SEL, S280, S320, S500				
92-99		HD	B36-1706	B46-1707
Series W170 (S-Class)				
SLK230				
97-02		HD	BE3-2464	BE3-2465
		SP	BE3-2525	BE3-2526
Series W201				
190, 190E, 190D Except 190E 2.3-16				
83-93	Exc. Self Leveling Rear	C	V36-0199	B36-1405
		HD	V36-0362	B36-1384
		SP	V36-0365 ¹	B36-1470 ²

¹ Recommended for use if shorter springs are installed.

² Recommended for use if shorter springs are installed. On cars with coilover rear suspension, some rear shocks allow ride height adjustability.

Year Application Setting Front Rear

MERCEDES BENZ (cont.)
190E 2.3-16

83-93 Self Leveling Rear SP V36-0365 [1] N/A

Series W202 (C-Class)
180, 200, 220, 250, 280

 93-99 HD B36-1856 B36-1857
 SP B36-1854 B36-1855

Series W208 (C-Class)
CLK320, CLK430

 98-02 HD BE3-2598 B36-1857
 SP BE3-2599 B36-1855

Series W210 (E-Class)
E300(T)D, E320, E430

 99-02 Exc. 4WD (4Matic); From HD B36-2156 BE3-A056-H0
 07/99 SP BE3-A057-H0 BE3-A058-H0

E200, E320, E420, E220D, E300D, E300TD

 96-99 To 06/99 HD B36-2154 B36-2155
 SP B36-2156 B36-2157

MERCURY
Full Size: Monterey, Gran Marquis, Colony Park

 83-02 C B46-1497 B46-1498 [1]
 HD B46-1495 B46-1496 [1]

Full Size: Monterey, Marquis, Gran Marquis, Colony Park

 65-82 C B46-1497 B46-1498 [1]
 HD B46-1495 B46-1496 [1]

Capri RS

 87-90 HD V36-4138-H1 B46-2148-H1
 79-86 HD N/A AK2288
 BTS BTS-7505 (Kit)

Cougar

 89-97 Exc. Electronic or Self HD B46-1505 [17] B46-1506 [17]
 Leveling Suspension
 87-88 HD N/A B46-1041
 80-86 XR-7 HD V36-0088 B46-1041 [18]
 81-82 Exc. XR-7 HD N/A AK2288 [18]
 74-79 HD B46-1495 B46-1496

MINI
Cooper / Cooper S

 02-04 From 6/02 SP VE3-A323-H0(L) BE3-A325-H0(L)
 VE3-A324-H0(R) BE3-A325-H0(R)

MITSUBISHI
3000 GT

 91-99 HD R36-5022-H0 [104] B46-1742-H0 [104]
 R36-5022-H0 [105] B46-1743-H0 [105]

Year Application Setting Front Rear

MITSUBISHI (cont.)
Eclipse

 90-94 2WD TC VNE-4780-BK BNE-6336-BK
 4WD TC VNE-4780-BK BNE-6337-BK

Galant

 94-98 2WD TC BNE-6299-BK BNE-6339-BK
 89-93 2WD TC VNE-4780-BK BNE-2885-BK

Mirage

 97-01 TC VNE-4777-BK(L) BNE-6338-BK
 VNE-4778-BK(R)

NISSAN/DATSUN
350Z

 03-04 HD BE5-A156-MO(L) BE5-A158-MO
 BE5-A157-MO(R)
 PSS HE5-A162-HO (Kit)

300ZX

 90-96 Z32 Chassis HD B46-1481(L) B46-1483
 B46-1482(R)
 84-89 Exc. Turbo HD P30-0264 [17] B46-1116
 Turbo HD P36-0262 [17] B46-0062

Stanza

82-84 HD P30-0261 P30-0271

OLDSMOBILE
Full Size: Delta 88, 98, Custom Cruiser

77-87 RWD; Including Wagon HD B46-1104 B46-0929

Cutlass Ciera All models

82-94 HD S36-0203 B46-1019

Cutlass Cruiser, Cutlass Supreme Cruiser, Vista Cruiser

 78-87 Wagon HD B36-0949 B46-0929
 73-77 Wagon HD B36-0949 N/A

Cutlass, Cutlass Calais, Cutlass Supreme All Models Except Cutlass Ciera

73-87 Exc. Wagon HD B36-0949 B46-0929

Cutlass, Supreme, F85

 67 Exc. Wagon; Exc. HD Rear HD BE3-2972 AK2080
 64-66 Exc. Wagon HD BE3-2972 AK2080

Omega

80-84 HD S36-0203 B46-1019

PONTIAC
Full Size: Catalina, Bonneville, Executive, Parisienne, Safari

63-89 Wagon HD B46-1104 B46-0929

Full Size: Parisienne

82-87 Exc. Wagon HD B46-1104 B46-0929

6000

 84-88 STE HD S36-0203 N/A
 82-88 Exc. STE HD S36-0203 B46-1019

Bonneville

82-86 HD B36-0949 B46-0929

(L) - Left side (R) - Right side [1] Recommended for use if shorter springs are installed.

[2] Recommended for use if shorter springs are installed. On cars with coilover rear suspension, some rear shocks allow ride height adjustability.

[11] Except self leveling system. [12] Vertical location shocks only. Horizontal location shocks N/A. [17] Does not replace electronically adjustable system.

[10] This is an R style insert. The original strut housing must be modified (sealed unit) in order to utilize. Recommend to skilled installer only.

[104] Replaces adjustable suspension (ECS) [105] Replaces non-adjustable suspension (w/o ECS)

PASSENGER CAR LISTINGS



Year	Application	Setting	Front	Rear
PONTIAC (cont.)				
Firebird Including Trans Am				
93-02		HD	B46-1913	B46-1914
		BTS	BTS-7501 (Kit)	
82-92		HD	S36-0201	B46-1121
		SP	S36-0201	B46-1021 [2]
77-81		HD	B46-1104	B46-0156
70-76		HD	BE3-2972	B46-0156
68-69		HD	BE3-2972	N/A
Grand Prix				
73-87		HD	B36-0949	B46-0929
LeMans, Tempest, Grand AM				
73-81	Exc. Wagon	HD	B36-0949	B46-0929
LeMans, Tempest				
73-77	Wagon	HD	B36-0949	N/A
LeMans, GTO, Tempest				
68-72		HD	AK2070	B46-0929
67	Exc. HD Rear	HD	BE3-2972	AK2080
64-66		HD	BE3-2972	AK2080
Phoenix				
80-84		HD	S36-0203	B46-1019

PORSCHE				
356B, 356C				
58-65		HD	B46-0164	B46-0174
911 (1996)				
97-03	Carrera2; From 10/97	HD	VN7-4612	BE5-2993
		SP	VN7-4613	BE5-2994
		PSS9	GM5-8846-H0 (Kit)	
	Carrera4; From 10/97	HD	In Dev.	BE5-2993
		SP	In Dev.	BE5-2994
		PSS9	GM5-8848-H0 (Kit)	
	Turbo; From 10/97	HD	In Dev.	In Dev.
		SP	In Dev.	In Dev.
		PSS9	GM5-8877-H0 (Kit)	
911 (1993)				
93-97	From 10/93; To 09/97	PSS9	GM5-8044-H0 (Kit) [20]	
	From 10/93; To 9/97	HD	VE3-4692-H0(L) [24]	BE5-6130-H0(L)
			VE3-4693-H0(R) [24]	BE5-6131-H0(R)

Year	Application	Setting	Front	Rear
PORSCHE (cont.)				
911 (1964)				
91-93	To 9/93	HD	VE3-5277-H0(L) [23]	B46-1547 [23]
			VE3-5278-H0(R) [23]	
89-90		HD	VE3-5277-H0(L) [23]	B46-1735 [23]
			VE3-5278-H0(R) [23]	
911, Carrera, 930 Turbo				
73-88		HD	V36-0127(L) [20]	B46-0169
			V36-0128(R) [20]	
924 All Models				
84-87	From 9/84	HD	P30-0104	B36-2052
76-84	To 8/84	HD	P30-0104	B36-0161
928				
78-95	With OE Boge; 2WD	HD	N/A	B46-0974 [22]
84-86	With OE Bilstein	HD	B46-0966 [22]	B46-0974 [22]
944				
85-88	Turbo	HD	N/A	B36-2052
85-86	Exc. Turbo	HD	P30-0104	B36-2052
82-84	Exc. Turbo	HD	P30-0104	B36-0161
Boxster (1986)				
97-02		PSS9	GM5-8847-H0 (Kit)	
97-01		HD	VN7-4621-H0	VN3-4622-H0
	From 09/96	SP	VN7-4623-H0	VN3-4624-H0
With OE Bilstein (Green Housing)				
911				
73-89		HD	R36-5001 [24]	B46-0169
		SP	RE3-5050 [24]	B46-0975 [11]
		RALLYE	Please Inquire	B46-0180
930 Turbo				
75-84		HD	R36-5001 [24]	B46-0169
		SP	RE3-5049 [24]	B46-0975
912				
75-79		HD	R36-5001 [24]	B46-0169
		SP	RE3-5050 [24]	B46-0975 [11]
		RALLYE	Please Inquire	B46-0180
911				
68-72	From 10/68	HD	R36-5001	B46-0167 [11]
		SP	RE3-5050	B46-0167 [11]

(L) - Left side (R) - Right side

[2] Recommended for use if shorter springs are installed. On cars with coilover rear suspension, some rear shocks allow ride height adjustability.

[11] Except self leveling system. [20] Replaces OE struts.

[22] To ensure proper ride height, installation should be performed by a Porsche dealer who will have the appropriate equipment and parts. Cars not equipped with OE height adjustable Bilstein front shocks may require additional parts.

[23] Threaded body shocks & struts.

[24] They cannot be used in damaged struts, or in struts in which another type of cartridge has been installed. If strut is damaged, or worn internally replacement of the complete strut is necessary.

[26] Recommend use of aftermarket mono-ball camber plates and conical rear upper spring hat when lowering to RS specifications.

Year	Application	Setting	Front	Rear
PORSCHE (cont.)				
With OE Boge (Black Housing)				
911				
85-89	From 4/85	HD	P36-0114	B46-0169
		SP	P36-0115	B46-0975
73-85	To 3/85	HD	P36-0112	B46-0169
		SP	P36-0113	B46-0169
		RALLYE	Please Inquire	B46-0180
		RALLYE/SP	P36-0115	B46-0975
912				
75-79		HD	P36-0112	B46-0169
		SP	P36-0113	B46-0169
		RALLYE	Please Inquire	B46-0180
		RALLYE/SP	P36-0115	B46-0975
911				
68-72	From 10/68	HD	P36-0112	B46-0167 ^[1]
		SP	P36-0113	B46-0167 ^[1]
911, 912				
65-68	To 9/68	HD	P36-0111	B46-0167 ^[1]
914				
69-76		HD	P36-0112	B46-0179
		SP	P36-0113	B46-0179
ROLLS ROYCE				
Carmargue, Corniche Hard Top/Convertible, Silver Shadow/Spirit/Spur				
66-90		HD	Please Inquire	Please Inquire
SAAB				
9-3				
98-02	2.3L	HD	PE3-3104	BE5-2757
		SP	PE3-3105	BE5-2758
9-5 All Models				
98-01	To 8/01	HD	VE3-4371	BE3-2708
		SP	VE3-4388	BE3-2709
99 All Models				
78-84	From 8/78	TC	BNE-1950-BE	BNE-1954-BE
		HD	N/A	B46-0397
900 All Models				
93-97	All; From 7/93	HD	PE3-3093	BE5-2538
	Automatic Transmission; From 7/93	TC	PNE-3127-BE	BNE-6127-BE
	Manual Transmission; From 7/93	TC	PNE-3126-BE	BNE-6127-BE
78-93	From 7/78	TC	BNE-1953-BE	BNE-1954-BE
		HD	B46-0387	B46-0397
9000 All Models				
88-97		TC	VNE-4571-BE	BNE-2938-BE
		HD	V36-4034	B36-1785

Year	Application	Setting	Front	Rear
SUBARU				
Impreza				
00-03	WRX; From 10/00	PSS9	GM5-A128-H0 (Kit)	
92-00	RS	PSS9	GM5-8603-H0 (Kit)	
Legacy Except Outback				
95-99	Exc. Air Suspension	TC	VNE-4802-BK(L) VNE-4803-BK(R)	N/A
TOYOTA				
Corolla				
97-00	From 5/97	TC	VNE-4824-BK(L) VNE-4825-BK(R)	VNE-4960-BK(L) VNE-4961-BK(R)
92-97	From 5/92; To 4/97	TC	VNE-4818-BK(L) VNE-4819-BK(R)	VNE-4946-BK(L) VNE-4947-BK(R)
88-92	Exc. GTS; To 4/92	TC	PNE-3135-BK PNE-3135-BK	VNE-4938-BK(L) VNE-4939-BK(R)
	GTS; To 4/92	TC	PNE-3137-BK PNE-3137-BK	VNE-4938-BK(L) VNE-4939-BK(R)
84-85	RWD Only	HD	P30-0098	B46-0319
79-83		HD	P30-0098	B46-0319
Camry				
95-99	Exc. All-Trac	HD	In Dev.(L) In Dev.(R)	In Dev.(L) In Dev.(R)
94-96	Exc. All-Trac; From 9/94; To 7/96	TC	VNE-4832-BK(L) VNE-4833-BK(R)	VNE-4958-BK(L) VNE-4959-BK(R)
92-94	Exc. All-Trac; To 8/94	TC	VNE-4828-BK(L) VNE-4829-BK(R)	VNE-4958-BK(L) VNE-4959-BK(R)
87-91	Exc. All-Trac; Sedan	TC	PNE-3110-BK	PNE-3111-BK
Celica				
99-03		PSS	HE5-8043 (Kit)	
94-99	Exc. All-Trac; To 10/99	TC	PNE-3143-BK PNE-3143-BK	VNE-4956-BK(L) VNE-4957-BK(R)
89-93	Exc. All-Trac; From 10/89	TC	PNE-3140-BK PNE-3140-BK	VNE-4950-BK(L) VNE-4951-BK(R)
Supra				
93-96	ZA80 Chassis; From 5/93	HD	B46-1792	B46-1793
86-91	3.0L; From 86 1/2	HD	B46-1125	B46-1126
MR2 (All Models)				
90-95	Including Turbo	HD	V36-4017(L) V36-4018(R)	V36-4019(L) V36-4020(R)
VOLKSWAGEN				
Beetle				
98-03		HD	VE3-4407	BE3-2623 ^[1]
		SP	VE3-4408 ^[1]	BE3-2624 ^[2] ^[5]
		BTS		BTS-7509 (Kit)
		PSS	HE5-8064 (Kit) ^[2]	
		PSS9	GM5-8065 (Kit) ^[2]	
	OE Sport Suspension	TC	VNE-4575-BE	BNE-2917-BE
	OE Standard Suspension	TC	VNE-4574-BE	BNE-2942-BE

(L) - Left side (R) - Right side ^[1] Recommended for use if shorter springs are installed.

^[2] Recommended for use if shorter springs are installed. On cars with coilover rear suspension, some rear shocks allow ride height adjustability.

^[3] Except self leveling system. ^[5] Re-install original equipment hardware.

^[2] Re-use original protective boot and bump stop. If original parts are missing, purchase correct parts from VW dealer. Failure to re-install proper parts will result in damage to shock and to vehicle.

^[2] Recommended for standard (OE) springs only.

^[2] Vehicles with 17" wheels will require wheel spacers in order to clearance springs.

PASSENGER CAR LISTINGS



Year	Application	Setting	Front	Rear
VOLKSWAGEN (cont.)				
Cabriolet				
94-02		HD	VE3-4395	B36-1524
		SP	VE3-4396 [1]	B36-1529 [2]
79-93		TC	PNE-3033-BE	BNE-1955-BE
		C	P30-0137 [26]	B46-0921 [25]
		HD	V36-0101 [1]	B46-0921 [2][25]
		SP	P30-0032 [1]	B46-0657 [2][25]
Corrado				
94-95	4 cyl	HD	VE3-4391	B36-1417
		SP	VE3-4392	B36-1553
		PSS	S00-8055 (Kit) [95]	
		PSS9	S03-8056 (Kit) [95]	
92-95	6 cyl	TC	VNE-4502-BA	N/A
		HD	VE3-4391	B36-1524
		SP	VE3-4392	B36-1529
		PSS	S00-8055 (Kit)	
		PSS9	S03-8056 (Kit)	
90-93	4 cyl	TC	VNE-4123-BE	BNE-1996-BE
		HD	V36-0214	B36-1417
		PSS	S00-8055 (Kit) [95]	
		PSS9	S03-8056 (Kit) [95]	
90-91	6 cyl	PSS	S00-8055 (Kit)	
		PSS9	S03-8056 (Kit)	
Fox				
87-93		HD	P30-3005	N/A
Golf IV				
03-03	R32	HD	VE3-4637	BE5-6034
		SP	VE3-4638	BE5-6035
Golf IV, Jetta IV				
99-03	4 cyl	HD	VE3-4407	BE3-2623 [15]
		SP	VE3-4408 [1]	BE3-2624 [2][15]
		BTS	BTS-7509 (Kit)	
		PSS	HE5-8064 (Kit) [94]	
		PSS9	GM5-8065 (Kit) [94]	
	4 cyl; Sport Suspension	TC	VNE-4575-BE [1]	BNE-2917-BE
	4 cyl; Standard Suspension	TC	VNE-4574-BE	BNE-2942-BE
6 cyl		PSS	HE5-8064 (Kit) [94]	
		PSS9	GM5-8065 (Kit) [94]	

Year	Application	Setting	Front	Rear
VOLKSWAGEN (cont.)				
Golf III, Jetta III				
96-98	6 cyl	TC	VNE-4502-BA	BNE-1996-BE
		HD	VE3-4391	B36-1524
		SP	VE3-4392 [1]	B36-1529 [2]
		BTS	BTS-7510 (Kit)	
		PSS	S00-8055 (Kit)	
		PSS9	S03-8056 (Kit)	
93-98	4 cyl	TC	VNE-4501-BA	BNE-1974-BE
		HD	VE3-4395	B36-1524
		SP	VE3-4396 [1]	B36-1529 [2]
		PSS	S00-8055 (Kit)	
93-95	6 cyl	TC	VNE-4122-BE	BNE-1996-BE
		SP	VN3-4172 [1]	B36-1529 [2]
		BTS	BTS-7510 (Kit)	
		PSS	S00-8055 (Kit)	
PSS9				S03-8056 (Kit)
Golf II				
85-92	16 Valve	TC	PNE-3046-BE [96] VNE-4114-BE [97]	BNE-1996-BE BNE-1996-BE
		Except 16 Valve	TC	PNE-3046-BE [96] VNE-4114-BE [97]
including GTI-16 Valve		HD	P30-0102 [96] V36-0104 [97]	B36-0654 [25] B36-0654 [25]
		SP	V36-0104 [1]	B36-0656 [2][25]
		PSS	S00-8055 (Kit)	
		PSS9	S03-8056 (Kit)	
Jetta II				
85-92	16 Valve	TC	PNE-3046-BE [96] VNE-4114-BE [97]	BNE-1996-BE BNE-1996-BE
		Except 16 Valve	TC	PNE-3046-BE [96] VNE-4114-BE [97]
including 16 Valve		HD	P30-0102 [96] V36-0104 [97]	B36-0654 [25] B36-0654 [25]
		SP	V36-0104 [1]	B36-0656 [2][25]
		PSS	S00-8055 (Kit)	
		PSS9	S03-8056 (Kit)	
Jetta				
79-84		TC	PNE-3033-BE	BNE-1955-BE
		HD	P30-0137 [26][96] V36-0101 [1][97]	B46-0921 [25] B46-0921 [2][25]
		SP	P30-0032 [1]	B46-0657 [2][25]
Golf, Rabbit Including GTI				
74-84		TC	PNE-3033-BE	BNE-1955-BE
		HD	P30-0137 [26][96] V36-0101 [1][97]	B46-0921 [25] B46-0921 [25]
		SP	P30-0032 [1]	B46-0657 [2][25]

[1] Recommended for use if shorter springs are installed.

[2] Recommended for use if shorter springs are installed. On cars with coilover rear suspension, some rear shocks allow ride height adjustability.

[15] Re-install original equipment hardware.

[25] Re-use original protective boot and bump stop. If original parts are missing, purchase correct parts from VW dealer. Failure to re-install proper parts will result in damage to shock and to vehicle.

[26] Recommended for standard (OE) springs only. [94] Vehicles with 17" wheels will require wheel spacers in order to clearance springs.

[95] Requires 15mm wheel spacers. [96] Inserts for rebuildable OE housings only. [97] Complete replacement struts.

Year	Application	Setting	Front	Rear
VOLKSWAGEN (cont.)				
Passat				
99-02	2WD; 6 cyl; Coupe & Sedan; Model from VIN #121221; From 12/99	SP	BE5-6512-H0	BE5-6542-H0
	2WD; Wagon; Model from VIN #121221; From 12/99	SP	BE5-6512-H0	BE5-6544-H0
97-99	2WD; 6 cyl; Coupe & Sedan; Model up to VIN #121221; From 06/97; To 12/99	HD	B36-2079	BE3-2532
		SP	B36-2081 ^[1]	BE3-2533
	2WD; Wagon; Model to VIN #121221; From 6/97; To 12/99	HD	B36-2079	BE3-2532
		SP	B36-2081	BE3-2533
92-95	Exc. 6 cyl; From 10/92	TC	VNE-4576-BE	BNE-1994-BE
		HD	V36-4058	B36-1597
90-92	Exc. 6 cyl; To 9/92	TC	VNE-4123-BE	BNE-1994-BE
		HD	V36-0406	B36-1597
Quantum				
83-88	From Chassis #32D155758; Exc. Synchro; From 5/83; To 3/88	TC	PNE-3040-BE	BNE-1965-BE
		HD	P30-3005	B36-0030 ^[2]
82-83	To 4/83	TC	PNE-3040-BE	BNE-1993-BE
Scirocco All Models				
74-89		TC	PNE-3033-BE	BNE-1955-BE
		HD	P30-0137 ^[2] ^[6] V36-0101 ^[1] ^[7]	B46-0921 ^[2] B46-0921 ^[2] ^[2]
		SP	P30-0032 ^[1]	B46-0657 ^[2] ^[2]
Type 1: Super Beetle				
75-80	From 8/75	HD	P30-0104	B46-0034
Type 1: Beetle & Karmann Ghia				
67-77	Ball joint front; Swing axle rear; From 8/67	HD	B46-0620 ^[2]	B46-0034
Type 1: 1200, 1300, 1500 Beetle & Karmann Ghia				
65-67	Ball joint front; Swing axle rear; From 8/65; To 8/67	HD	B46-0620 ^[2]	B46-0040
Type 1: 1200 Beetle, Karmann Ghia, Safari				
53-65	Link pin front; Swing axle rear; To 7/65	HD	B46-0032	B46-0040
Type 181: Thing				
67-77	Ball joint front; Swing axle rear; From 8/67	HD	B46-0620 ^[2]	B46-0034

Year	Application	Setting	Front	Rear
VOLVO				
121, 122 All				
57-73	Exc. Wagon	HD	B46-0283	B46-0293
P1800, P1800E, P1800ES				
57-73		HD	B46-0283	B46-0293
142, 144, 145, 164				
67-75		TC	BNE-1942-BE	BNE-1963-BE
		HD	B46-0289	N/A
240, 242, 244, 245, 262, 264, 265				
92-93	Exc. ABS	TC	PNE-3031-BE ^[2]	BNE-1952-BE
		HD	P36-0081 ^[100]	B46-0296
	w/ABS	TC	PNE-3031-BE	BNE-1952-BE
75-91		TC	PNE-3031-BE ^[2]	BNE-1952-BE
		HD	P36-0081 ^[100]	B46-0296
740, 760, 780				
84-93	From 5/84	TC	PNE-3054-BE	BNE-1988-BE ^[11]
		HD	P36-0292	B36-1274 ^[11]
850				
94-98		TC	VNE-4579-BE	BNE-2945-BE ^[11]
		HD	VN3-4358	B36-1640 ^[11]
91-93		TC	VNE-4589-BE	BNE-2945-BE ^[11]
		HD	V36-4015	B36-1640 ^[11]
940, 960				
91-94		TC	PNE-3054-BE	BNE-1988-BE ^[11]
		HD	P36-0292	B36-1274 ^[11]
S40, V40				
00-02		TC	VNE-4681-BE(L) VNE-4680-BE(R)	BNE-6128-BE ^[11]
S70				
97-03	2WD	TC	VNE-4579-BE	BNE-2945-BE ^[11]
		HD	VN3-4358	B36-1640 ^[11]
V70				
00-03	2WD; From 3/00	HD	VE3-5221-H0	BE5-6793-H0
		SP	VE3-5222-H0	BE5-6794-H0
97-00	2WD; To 2/00	TC	VNE-4579-BE	BNE-2945-BE ^[11]
		HD	VN3-4358	B36-1640 ^[11]
S80				
98-03	2WD; From 5/98	HD	VE3-5221-H0	BE5-6793-H0
		SP	VE3-5222-H0	BE5-6794-H0

(L) - Left side (R) - Right side ^[1] Recommended for use if shorter springs are installed.

^[2] Recommended for use if shorter springs are installed. On cars with coilover rear suspension, some rear shocks allow ride height adjustability.

^[11] Except self leveling system.

^[22] Re-use original protective boot and bump stop. If original parts are missing, purchase correct parts from VW dealer. Failure to re-install proper parts will result in damage to shock and to vehicle.

^[23] Recommended for standard (OE) springs only. ^[24] These shocks must be used with original VW upper mount assembly.

^[25] Must use OE spacer 1229423-7 if equipped with original equipment gas shocks. ^[26] Inserts for rebuildable OE housings only. ^[27] Complete replacement struts.

^[100] If equipped with original twin tube, spacer ring in base of housing must be removed.